

Author index

Abdul-Latif, M.S. *see* McCluskey, A.
Abdul-Latif, M.S., Putland, A.J., McCluskey, A., Meadows, D.P. & Remington, S.A.M. Oral midazolam premedication for day case breast surgery, a randomised prospective double-blind placebo-controlled study, 990
Abraham, R., Vergheze, C. & Brain, A.I.J. The Intubating Laryngeal Mask Airway as a guide to fibreoscopy, 1206
Acharya, D. & Dearlove, O.R. Anaesthesia in pyruvate dehydrogenase deficiency, 808
Ackland, G. Physical incompatibility between atracurium and intravenous diclofenac, 294
Acton, L.J. *see* Stirrup, C.A.
Adamatti, L.C. *see* Caumo, W.
Adams, A.M. & Smith, A.F. Risk perception and communication: recent developments and implications for anaesthesia, 745
Adams, A.M. *see* Bewsher, M.S.
Aguilera, I.M. *see* Jeffreys, A.J.
Ahmad, K. *see* Sinha, A.
Ahmad, K. *see* Troy, A.M.
Akcali, D. *see* Gunaydin, B.
Akçay, G., Akçay, M.N. & Alici, H.A. The effects of diathermy on haemodynamic stability in phaeochromocytoma, 1015
Akçay, M.N. *see* Akçay, G.
Akural, E.I., Koivunen, P.T., Teppo, H., Alahuhta, S.M. & Löppönen, H.J. Post-tonsillectomy pain: a prospective, randomised and double-blinded study to compare an ultrasonically activated scalpel technique to the blunt dissection technique, 1045
Alahuhta, S.M. *see* Akural, E.I.
Al-Attiyah, R.J. *see* Helmy, S.A.K.
Alderson, M.L. *see* Gbinigie, N.I.
Aldridge, L.M. *see* Walpole, R.
Alexander, R. *see* Woodcock, C.A.
Alexander-Williams, M. *see* Bannon, L.
Ali, M.S. *see* Alston, R.P.
Ali, W. & Pateman, J. Anaesthesia in an unusual location, 1020
Alici, H.A. *see* Akçay, G.
Alkan, M. *see* Gunaydin, B.
Allam, S. & Noble, J.S. Cocaine-excited delirium and severe acidosis, 385
Allan, T.W.B. Systemic spread of vecuronium following use in peribulbar regional anaesthesia, 1018
Alston, R.P., Ali, M.S., Harmer, M. & Latto, I.P. Jugular bulb oximetry, 701
Aly, E.E. Persistent cough following target-controlled infusion (TCI) with propofol, 1016
Ameen, H. Can propofol cause keratitis?, 1017
Anderson, A. *see* De Silva, R.J.
Anderson, D. *see* Webster, C.S.
Anderson, K.J. Anaesthesia without induction rooms, 589
Anderson, R.E. *see* Barr, G.
Anderson, S. *see* Habib, A.
Andrzejowski, J.C. *see* McGill, A.
Antrobus, H. Patient-controlled oramorph – the future?, 195
Aoyama, K., Yasunaga, E. & Takenaka, I. Orthodontic appliances and insertion of the laryngeal mask airway, 1012
Aramaki, Y. *see* Karasawa, F.
Arbous, M.S., Grobbee, D.E., Van Kleef, J.W., De Lange, J.J., Spoormans, H.H.A.J.M., Touw, P., Werner, F.M. & Meursing, A.E.E. Mortality associated with anaesthesia: a qualitative analysis to identify risk factors, 1141
Archer, L.J. & Smith, A.J. Blood pressure measurement in volunteers with and without padding between the cuff and the skin, 847
Archer, T.J. *see* Broadway, J.W.
Arepalli, N. & Jones, N. Oxygen or air?, 1205
Armbruster, S. *see* Schmidt, M.
Arnstein, F. New variant Creutzfeldt–Jakob Disease – is our practice safe?, 585
Asai, T. & Georgiou, L. Use of the laryngeal mask is contraindicated during cholecystectomy, 187
Asai, T. & Kawachi, S. Pressure exerted by the cuff of the laryngeal tube on the oropharynx, 911
Asai, T. & Shingu, K. Advantages and disadvantages of the Arrow Flex Tip Plus™ epidural catheter, 606
Asai, T. & Shingu, K. Leakage of fluid around high-volume, low-pressure cuffs. A comparison of four tracheal tubes, 38
Asai, T. & Shingu, K. Should Mendelson's syndrome be renamed?, 398
Asai, T. *see* Maltby, J.R.
Asai, T. *see* Mandal, N.G.
Asai, T. *see* Okuda, Y.
Asai, T., Uchiyama, Y., Yamamoto, K., Johmura, S. & Shingu, K. Evaluation of the disposable Vital View™ laryngoscope, 342
Asato, F. & Shah, M.K. Spinal opiates and pruritus, 499
Ashcroft, G.P. *see* Chan, P.
Ashwin, P. *see* Parekh, U.
Atcheson, R. *see* Gill, P.
Athanssiou, L. Another case of electromagnetic interference in the operating theatre, 592
Atkinson, S. *see* McBrien, M.E.
Averley, P.A. *see* Lahoud, G.Y.G.
Avidan, M.S. *see* Choyce, A.
Aziz, E. & Radcliffe, J.J. Vagal nerve stimulators and anaesthesia: I, 1209
Badacsonyi, A. So unlikely, yet so terrifying, 373
Badrakumar, A. Why KY?, 802
Badrakumar, A., Ball, D.R., Jefferson, P. & Lindhoff, G. Pulse oximetry – to bleep or not to bleep?, 184
Badrakumar, A., Jefferson, P. & Ball, D.R. Anaesthetic equipment: disposal or decontamination?, 690
Bakh, J-H. *see* Bromage, P.R.
Baigel, G. I want to be an anaesthetist, 84
Bailey, P. *see* Makker, R.
Bajekal, R.R. & Kendra, M. Bad connection, 185
Baker, A.B. *see* Kennedy, R.R.
Ball, D.R. & Jefferson, P. The airway and the anaesthetist, 693
Ball, D.R. *see* Badrakumar, A.
Ball, D.R. *see* Hedges, S.
Ball, D.R. *see* Ogbue, M.N.
Ball, D.R. *see* Perkins, V.
Ball, D.R., Jefferson, P., Taylor, I. & Watters, M. The unfasted elective patient, 1005
Ball, MacG. *see* Palmer, J.H.
Ballin, M.S. & McCluskey, A. Sterilisation of laryngoscopes, 87

Author index

Abdul-Latif, M.S. *see* McCluskey, A.
Abdul-Latif, M.S., Putland, A.J., McCluskey, A., Meadows, D.P. & Remington, S.A.M. Oral midazolam premedication for day case breast surgery, a randomised prospective double-blind placebo-controlled study, 990
Abraham, R., Vergheze, C. & Brain, A.I.J. The Intubating Laryngeal Mask Airway as a guide to fibreoscopy, 1206
Acharya, D. & Dearlove, O.R. Anaesthesia in pyruvate dehydrogenase deficiency, 808
Ackland, G. Physical incompatibility between atracurium and intravenous diclofenac, 294
Acton, L.J. *see* Stirrup, C.A.
Adamatti, L.C. *see* Caumo, W.
Adams, A.M. & Smith, A.F. Risk perception and communication: recent developments and implications for anaesthesia, 745
Adams, A.M. *see* Bewsher, M.S.
Aguilera, I.M. *see* Jeffreys, A.J.
Ahmad, K. *see* Sinha, A.
Ahmad, K. *see* Troy, A.M.
Akcali, D. *see* Gunaydin, B.
Akçay, G., Akçay, M.N. & Alici, H.A. The effects of diathermy on haemodynamic stability in phaeochromocytoma, 1015
Akçay, M.N. *see* Akçay, G.
Akural, E.I., Koivunen, P.T., Teppo, H., Alahuhta, S.M. & Löppönen, H.J. Post-tonsillectomy pain: a prospective, randomised and double-blinded study to compare an ultrasonically activated scalpel technique to the blunt dissection technique, 1045
Alahuhta, S.M. *see* Akural, E.I.
Al-Attiyah, R.J. *see* Helmy, S.A.K.
Alderson, M.L. *see* Gbinigie, N.I.
Aldridge, L.M. *see* Walpole, R.
Alexander, R. *see* Woodcock, C.A.
Alexander-Williams, M. *see* Bannon, L.
Ali, M.S. *see* Alston, R.P.
Ali, W. & Pateman, J. Anaesthesia in an unusual location, 1020
Alici, H.A. *see* Akçay, G.
Alkan, M. *see* Gunaydin, B.
Allam, S. & Noble, J.S. Cocaine-excited delirium and severe acidosis, 385
Allan, T.W.B. Systemic spread of vecuronium following use in peribulbar regional anaesthesia, 1018
Alston, R.P., Ali, M.S., Harmer, M. & Latto, I.P. Jugular bulb oximetry, 701
Aly, E.E. Persistent cough following target-controlled infusion (TCI) with propofol, 1016
Ameen, H. Can propofol cause keratitis?, 1017
Anderson, A. *see* De Silva, R.J.
Anderson, D. *see* Webster, C.S.
Anderson, K.J. Anaesthesia without induction rooms, 589
Anderson, R.E. *see* Barr, G.
Anderson, S. *see* Habib, A.
Andrzejowski, J.C. *see* McGill, A.
Antrobus, H. Patient-controlled oramorph – the future?, 195
Aoyama, K., Yasunaga, E. & Takenaka, I. Orthodontic appliances and insertion of the laryngeal mask airway, 1012
Aramaki, Y. *see* Karasawa, F.
Arbous, M.S., Grobbee, D.E., Van Kleef, J.W., De Lange, J.J., Spoormans, H.H.A.J.M., Touw, P., Werner, F.M. & Meursing, A.E.E. Mortality associated with anaesthesia: a qualitative analysis to identify risk factors, 1141
Archer, L.J. & Smith, A.J. Blood pressure measurement in volunteers with and without padding between the cuff and the skin, 847
Archer, T.J. *see* Broadway, J.W.
Arepalli, N. & Jones, N. Oxygen or air?, 1205
Armbruster, S. *see* Schmidt, M.
Arnstein, F. New variant Creutzfeldt–Jakob Disease – is our practice safe?, 585
Asai, T. & Georgiou, L. Use of the laryngeal mask is contraindicated during cholecystectomy, 187
Asai, T. & Kawachi, S. Pressure exerted by the cuff of the laryngeal tube on the oropharynx, 911
Asai, T. & Shingu, K. Advantages and disadvantages of the Arrow Flex Tip Plus™ epidural catheter, 606
Asai, T. & Shingu, K. Leakage of fluid around high-volume, low-pressure cuffs. A comparison of four tracheal tubes, 38
Asai, T. & Shingu, K. Should Mendelson's syndrome be renamed?, 398
Asai, T. *see* Maltby, J.R.
Asai, T. *see* Mandal, N.G.
Asai, T. *see* Okuda, Y.
Asai, T., Uchiyama, Y., Yamamoto, K., Johmura, S. & Shingu, K. Evaluation of the disposable Vital View™ laryngoscope, 342
Asato, F. & Shah, M.K. Spinal opiates and pruritus, 499
Ashcroft, G.P. *see* Chan, P.
Ashwin, P. *see* Parekh, U.
Atcheson, R. *see* Gill, P.
Athanssiou, L. Another case of electromagnetic interference in the operating theatre, 592
Atkinson, S. *see* McBrien, M.E.
Averley, P.A. *see* Lahoud, G.Y.G.
Avidan, M.S. *see* Choyce, A.
Aziz, E. & Radcliffe, J.J. Vagal nerve stimulators and anaesthesia: I, 1209
Badacsonyi, A. So unlikely, yet so terrifying, 373
Badrakumar, A. Why KY?, 802
Badrakumar, A., Ball, D.R., Jefferson, P. & Lindhoff, G. Pulse oximetry – to bleep or not to bleep?, 184
Badrakumar, A., Jefferson, P. & Ball, D.R. Anaesthetic equipment: disposal or decontamination?, 690
Bakh, J-H. *see* Bromage, P.R.
Baigel, G. I want to be an anaesthetist, 84
Bailey, P. *see* Makker, R.
Bajekal, R.R. & Kendra, M. Bad connection, 185
Baker, A.B. *see* Kennedy, R.R.
Ball, D.R. & Jefferson, P. The airway and the anaesthetist, 693
Ball, D.R. *see* Badrakumar, A.
Ball, D.R. *see* Hedges, S.
Ball, D.R. *see* Ogbue, M.N.
Ball, D.R. *see* Perkins, V.
Ball, D.R., Jefferson, P., Taylor, I. & Watters, M. The unfasted elective patient, 1005
Ball, MacG. *see* Palmer, J.H.
Ballin, M.S. & McCluskey, A. Sterilisation of laryngoscopes, 87

Bamgbade, O. Anaesthetic drug information leaflets – for the patient or for the doctor?, 1213

Bandeira, D. *see* Caumo, W.

Bannister, J. *see* McLeod, G.A.

Bannon, L., Alexander-Williams, M. & Lutman, D. A national survey of epidural practice, 1021

Barbara, J., Chabane, M.H., Leynadier, F. & Girard, F. Retention of airborne latex particles by a bacterial and viral filter used in anaesthesia, 231

Barbour, F. *see* Walpole, R.

Barclay, P.M. *see* Gbiniigie, N.I.

Barker, G.L. *see* Rolfe, P.M.

Barker, I. *see* Sobolev, I.

Barker, I. *see* Webster, V.J.

Barker, K.F., Bolton, P., Cole, S. & Coe, P.A. The Intavent® tracheal tube in nasotracheal fiberoptic intubation, 189

Barker, L. & Sanders, D. Diclofenac suppositories – potential for drug error?, 710

Barkshire, K., Hodge, M. & Pandit, J.J. Anaesthesia for non-cardiac surgery in a patient with absent right pulmonary artery, 1125

Barr, G., Anderson, R.E. & Jakobsson, J.G. A study of bispectral analysis and auditory evoked potential indices during propofol-induced hypnosis in volunteers. The effect of an episode of wakefulness on explicit and implicit memory, 888

Barrett, R.F. *see* White, L.A.

Barron, E.A. & Rutherford, J.S. Prone pulmonary artery catheter insertion aided by ultrasound, 595

Baruch, M. *see* Wright, D.

Basford, J. *see* Russell, E.C.

Bayly, P.J.M. Resuscitating audit, 717

Bayly, P.J.M. *see* McHardy, F.E.

Bedall, C. *see* Raphael, J.H.

Bedi, A., Gallagher, A.C., Fee, J.P.H. & Murray, J.M. The *in vitro* performance of carbon dioxide absorbents with and without strong alkali, 546

Bell, G. Information on codeine, 1214

Bellomo, R. *see* Laffey, J.G.

Bellomo, R. *see* Story, D.A.

Ben-Abraham, R. *see* Weinbroum, A.A.

Benmansour, H. *see* Hans, P.

Benrahem, M. *see* Nathan, N.

Benumof, J.L. Capnography and errors with gas sampling, 89

Benumof, J.L. *see* Kuczkowski, K.M.

Bergmann, J. *see* Caumo, W.

Beriault, M.T. *see* Maltby, J.R.

Bertaggia, G. *see* Rolfe, P.M.

Bertaggia, G. *see* Snyders, S.

Berthoud, M.C. *see* Cressey, D.M.

Beven, P. *see* Dewhurst, A.T.

Bewsher, M.S., Adams, A.M., Clarke, C.W.M., McConachie, I. & Kelly, D.R. Evaluation of a new percutaneous dilatational tracheostomy set, 859

Bhadani, U. *see* Harmon, D.

Bhargava, P. *see* Williams, C.

Bhaskaran, N.C. *see* Cressey, D.M.

Bhattacharya, A. *see* Harmon, D.

Biccard, B.M. EMLA – 1 h is not enough for venous cannulation, 1027

Biccard, B.M. Phaeochromocytoma: an unusual cause of hypertension in pregnancy, 706

Bickford-Smith, P. Bad connection – a missing dimension, 602

Bilotta, F., Fiorani, L., La Rosa, I., Spinelli, F. & Rosa, G. Cardiovascular effects of intravenous propofol administered at two infusion rates: a transthoracic echocardiographic study, 266

Bilotta, F., Pietropaoli, P., La Rosa, I., Spinelli, F. & Rosa, G. Effects of shivering prevention on haemodynamic and metabolic demands in hypothermic postoperative neurosurgical patients, 514

Birks, R. *see* Jenner, C.A.

Birks, R.J.S. Safety matters, 823

Birks, R.J.S. *see* Pittaway, A.

Birks, R.J.S. *see* Shaw, I.C.

Birks, R.J.S. *see* Williams, C.

Bissi, M. *see* Foschi, D.

Bissonnette, B. *see* Paut, O.

Blanc, C. *see* Halkic, N.

Blowers, H. *see* Mitchell, J.

Blunt, M. *see* Garfield, M.

Blunt, M. *see* Young, P.

Boehler, M. *see* Kleinsasser, A.

Boldt, J. *see* Piper, S.N.

Bolton, P. *see* Barker, K.F.

Bonhomme, V. *see* Hans, P.

Bonner, S.M. *see* Mulleague, L.

Bowler, I. *see* Morton, G.

Bowles, B. *see* McCluskey, A.

Boylan, J.F. *see* Laffey, J.G.

Brain, A.I.J. Improving success with the intubating laryngeal mask airway, 384

Brain, A.I.J. *see* Abraham, R.

Breslin, D.S. *see* Hayes, A.H.

Breslin, D.S. *see* McBrien, M.E.

Breslin, D.S., Reid, J.E., Mirakhur, R.K., Hayes, A.H. & McBrien, M.E. Sevoflurane – nitrous oxide anaesthesia supplemented with remifentanil: effect on recovery and cognitive function, 114

Brewster, H.A. & Rutherford, J.S. Can intubate – can't ventilate, 490

Brighton, J.F. *see* Hans, P.

Bridgeman, J. *see* Vadodaria, B.

Brierley, A. *see* Watts, J.C.

Brill, S. *see* Fisher, A.

Brimacombe, J. *see* Dimitriou, V.

Bristow, A. Secondary transfer of intensive care patients by helicopter, 1004

Broadhurst, M. *see* Haslam, N.

Broadway, J.W., Smith, M.G. & Archer, T.J. Anaesthesia without induction rooms, 82

Brockbank, K. *see* White, L.A.

Brodhead, R.P. *see* Wenger, M.

Bromage, P.R., Bahk, J.-H., Ho, K., Grewal, B.S., Tarpey, J. & Reynolds, E. Damage to the conus medullaris following spinal anaesthesia, 812

Brookes, A.J. Drug patient information leaflets, 195

Brooks, H. *see* McKenzie, A.G.

Broome, I.J. *see* McKinlay, S.

Brown, J. *see* McCormick, B.A.

Bullough, A.S., Karadia, S. & Watters, M. Phaeochromocytoma: an unusual cause of hypertension in pregnancy, 43

Bulso, V. & Russell, S. Post-operative pain relief using thoracic epidural analgesia, 706

Burke, D. *see* McLeod, G.A.

Burns, A. *see* Garfield, M.

Burns, S.M., Cowan, C.M. & Wilkes, R.G. Prevention and management of hypotension during spinal anaesthesia for elective Caesarean section: a survey of practice, 794

Bush, G.H. Gordon Jackson Rees FRCA FRCP FRCRCPCH, Pioneer of Paediatric Anaesthesia, 370

Butt, M.W. *see* Palit, T.

Cahill, M. *see* Porter, J.M.

Calder, I. *see* Mayall, M.F.

Calder, I. *see* Orme, R.M.L.E.

Cameron, S. *see* Scott, S.

Cardozo, M.R. *see* Viera, V.

Carpenter, M.R. & Cooper, D.W. Fetal acidosis, spinal anaesthesia and phenylephrine, 920

Carr, A.S. *see* Mukherjee, K.

Carrie, L.E.S. *see* Collier, C.B.

Carroll, S. The Do Not Resuscitate order, 86

Carter, J.A. & McAteer, P. Nitrous oxide, 705

Carvalho, B. & Smith, M. Viagra®: are anaesthetists rising to the challenge?, 91

Cattaneo, M. *see* Foschi, D.

Caumo, W., Schmidt, A.P., Schneider, C.N., Bergmann, J., Iwamoto, C.W., Adamatti, L.C., Bandeira, D. & Ferreira, M.B.C. Risk factors for postoperative anxiety in adults, 720

Chabane, M.H. *see* Barbara, J.

Chambers, W.A. *see* Kumar, R.N.

Chan, M. *see* To, E.W.H.

Chan, P., Ashcroft, G.P. & Cranfield, K.A.W. Operating theatre exsanguinators pose a low risk for transmission of infection, 810

Chan, T. *see* Choyce, A.

Chan, Y.H. *see* Ip-Yam, P.C.

Chapman, J.M. & Fawcett, W.J. Complete power failure, 701

Chapman, M.G., Smith, M. & Hirsch, N.P. Status epilepticus, 648

Chari, P. *see* Mahajan, R.

Chari, P. *see* Podder, S.

Charlton, E. Patrick David Wall FRS, DM, FRCP. Honorary Member AAGBI, 1925-2001, 1202

Cheam, E.W. *see* Chen, P.P.

Cheema, S. *see* Richardson, J.

Chen, F-G. *see* Reddy, M.S.

Chen, P.P., Cheam, E.W., Ma, M., Lam, K.K., Ngan Kee, W.D. & Gin, T. Patient-controlled pethidine after major upper abdominal surgery: comparison of the epidural and intravenous routes, 1106

Cheng, G. *see* Ho, A.M.-H.

Cheng, J.H.H. *see* To, E.W.H.

Chidley, K. & Dunnett, J. The case report is not dead, 585

Chikungwa, M.T. How invasive should one go?, 704

Chilvers, R.J. *see* O'Hare, D.

Chinappa, V. *see* Leonard, I.E.

Chiu, C.L., Tew, G.P. & Wang, C.Y. The effect of prophylactic metaraminol on systemic hypotension caused by induction of anaesthesia with propofol in patients over 55 years old, 893

Choi, H. *see* Park, W.K.

Chow, B.E.M. *see* Mak, P.H.K.

Choyce, A. *see* Knight, P.R.

Choyce, A., Aviadan, M.S., Shariff, A., Del Aguila, M., Radcliffe, J.J. & Chan, T. A comparison of the intubating and standard laryngeal mask airways for airway management by inexperienced personnel, 357

Christian, A.S. *see* McKenzie, A.G.

Christie, I. *see* Hutton, A.

Chua, N.P., Sia, A.T. & Ocampo, C.E. Parturient-controlled epidural analgesia during labour: bupivacaine vs. ropivacaine, 1169

Chung, D.C. *see* Ho, A.M.-H.

Chung, F. *see* Correa, R.

Clark, M.X., Knights, D.T. & Henley, M. A risk associated with the shared airway in reconstructive palate surgery, 1028

Clark, M.X., O'Hare, K., Gorringe, J. & Oh, T. The effect of the Lockit epidural catheter clamp on epidural migration: a controlled trial, 865

Clark, V. *see* Murray, N.

Clarke, C.W.M. *see* Bewsher, M.S.

Clarke, M. *see* Herrema, I.

Claydon, P. *see* Cressey, D.M.

Clayton, P.J. *see* Varma, S.

Clayton, T.J., Pittman, J.A.L. & Gabbott, D.A. A comparison of two techniques for manual ventilation of the lungs by non-anaesthetists: the bag-valve-facemask and the cuffed oropharyngeal airway (COPA), 756

Cloote, A.H. *see* Peden, C.J.

Coe, A.J. *see* Isaac, R.

Coe, P.A. *see* Barker, K.F.

Coe, T.R. & Human, M. The peri-operative complications of nasal intubation: a comparison of nostril side, 447

Coghill, J. *see* Dill-Russell, P.

Cohen, A.M. *see* Jones, S.J.

Cohen, R.J. Simultaneous infusions of parenteral opioids with epidural local anaesthetics, 398

Cohen, S. & Zada, Y. Neuroaxial block for von Willebrand's disease, 397

Cohen, S. & Zada, Y. Postpartum femoral neuropathy, 500

Cohen, S., Maestrido, P. & Zada, Y. A simple technique to reduce the incidence of accidental dural puncture, 708

Cohen, S., Trnovski, S. & Zada, Y. A new interest in an old remedy for headache and backache for our obstetric patients: a sphenopalatine ganglion block, 606

Cole, S. *see* Barker, K.F.

Collier, C.B., Gatt, S.P., Carrie, L.E.S. & Russell, R. Dislodgement of epidural catheters in labour, 604

Collins, S.J. *see* Hubregtse, G.

Connor, D.J. Tec 6 vaporiser, 184

Cook, J.H. *see* Rosemeier, F.

Cook, L.B. Extracting arterial flow waveforms from pulse oximeter waveforms, 551

Cook, L.B. *see* Wisely, N.A.

Cook, T. *see* Frerk, C.

Cook, T.M. *see* Morris, J.

Cook, T.M. The separate needle is superior to the needle-through-needle technique for combined spinal epidural anaesthesia, 1211

Cook, T.M., Gupta, K., Gabbott, D.A. & Nolan, J.P. An evaluation of the Airway Management Device, 660

Cooke, R. *see* Yee, S.

Cooke, R.P.D. *see* King, T.A.

Cooper, D.W. *see* Carpenter, M.R.

Corcoran, M. *see* Edbrooke, D.L.

Corcoran, M. *see* Jacobs, P.

Corpataux, J-M. *see* Halkic, N.

Correa, R., Menezes, R.B., Wong, J., Yogendran, S., Jenkins, K. & Chung, F. Compliance with postoperative instructions: a telephone survey of 750 day surgery patients, 481

Corsi, F. *see* Foschi, D.

Corthesy, M-E. *see* Halkic, N.

Costello, C. *see* Stirrup, C.A.

Counsell, D.J. The acute pain service: a model for outreach critical care, 925

Cowan, C.M. *see* Burns, S.M.

Cox, M.L. *see* Stirrup, C.A.

Cox, P. The fallibility of pain scores, 499

Crabbe, I.J. Anterior deviation of the trachea, 284

Cranfield, K. *see* Kampe, S.

Cranfield, K.A.W. *see* Chan, P.

Crawford, J. *see* Hilditch, G.

Creasey, D. Hidden connection, 488

Cressey, D.M., Berthoud, M.C. & Reilly, C.S. Effectiveness of continuous positive airway pressure to enhance pre-oxygenation in morbidly obese women, 680

Cressey, D.M., Claydon, P., Bhakaran, N.C. & Reilly, C.S. Effect on midazolam pretreatment on induction dose requirements of propofol in combination with fentanyl in younger and older adults, 108

Crowe, B. *see* Porter, J.M.

Crowe, S. Diagnosing epidural haematomas, 1211

Cruickshank, S. *see* Rigg, C.D.

Cunningham, S. *see* Moran, C.

Cupitt, J.M. & Omprakash, S. Torticollis following induction of anaesthesia, 386

Cupitt, J.M. Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice, 780

Cupitt, J.M., Vinayagam, S. & McConachie, I. Radiation exposure of nurses on an intensive care unit, 183

Da Costa, R.A. *see* Viera, V.

Dalgleish, D.J. & Dolgner, M. The ProSeal Laryngeal Mask Airway, 1010

Dalgleish, D.J. All his anxiety resolved itself into a sigh and dissolved into apathy and drowsiness. – Ivan Goncharov, Russian novelist, *Obolomov* (1859), 376

Dana, E.C. *see* Pearse, R.M.

Danbury, C.M. & Torlot, K. Malignant hyperpyrexia and the laryngeal mask airway, 802

Daniels, B.W. *see* Pfitzner, J.

Dardis, R., Selway, R., Koutromanidis, M. & Polkey, C.E. Vagal nerve stimulators and anaesthesia: 2, 1210

Dashfield, A. *see* Dill-Russell, P.

Davidson, A.C. *see* Habib, A.

Davies, H.T.O. *see* McLeod, G.A.

Davies, J., Fernando, R., Porter, J.M. & Shorten, G.D. Effect of ropivacaine on platelet function, 709

Davies, K.E., Houghton, K. & Montgomery, J.E. Obesity and day case surgery, 1112

Davies, R. *see* McCormick, B.A.

Davies, R.G. & Gemmell, L. Severe hypokalaemia causing acute respiratory failure, 694

Davies, R.G. The importance of a Murphy Eye, 915

Dawson, D. *see* Sanders, M.

Dawson, P.R., Van Hanel, C., Wilkinson, D., Warwick, P. & O'Connor, M. Patient-controlled analgesia and intra-operative suggestion, 65

De Almeida, L.G.N. *see* Viera, V.

De Lange, J.J. *see* Arbous, M.S.

De Silva, R.J., Anderson, A., Tempest, H. & Ridley, S. Sequential organ scoring as a measure of effectiveness of care in the high-dependency unit, 850

De'Ath, S. *see* Gergis, Y.

De'Ath, S. *see* Konarzewski, W.

Deakin, J. *see* Varma, S.

Dearlove, O. & Vashist, R. The value of case reports, 690

Dearlove, O. *see* Kenningham, J.

Dearlove, O.R. *see* Acharya, D.

Dearlove, O.R. *see* McDermott, M.

Del Aguila, M. *see* Choyce, A.

Derbyshire, D.R. *see* Russell, E.C.

Derrick, J.L. *see* Ho, A.M.-H.

Dewandre, P.Y. *see* Hans, P.

Dewhurst, A.T., Farrar, D., Walker, C., Mason, P., Beven, P. & Goldstone, J.C. Medical repatriation via fixed-wing air ambulance: a review of patient characteristics and adverse events, 882

Dexter, T. *see* Williams, C.

Dhileepan, S. *see* Dill-Russell, P.

Dhileepan, S., Patel, A., Wood, C.C. & Raghavan, V. Anaesthetic menu: a step too far?, 293

Dhrampal, A. & Jenkins, J.G. Spontaneous cervical and mediastinal emphysema following childbirth, 93

Diaz-Navarro, C. *see* Williams, C.

Dickson, R.A. *see* Doherty, M.J.

Dickson, U. *see* Jones, S.E.F.

Diefenbach, C. *see* Kampe, S.

Dill-Russell, P. & Dhileepan, S. Sodium citrate bottles, 401

Dill-Russell, P., Stacey, R.G.W., Dashfield, A., Coghill, J. & Langton, J. Epidural failures and trainees' performance, 290

Dimitriou, V., Voyagis, G.S., Kihara, S., Watanabe, S. & Brimacombe, J. Light wand guided tracheal intubation through the intubating laryngeal mask, 283

Dingley, J., Findlay, G.P., Foëx, B.A., Little, R.A., King, R. & Smithies, M.N. Tracheal gas insufflation. Performance of a novel phase-specific device, 433

Dingley, J., King, R., Hughes, L., Terblanche, C., Mahon, S., Hepp, M., Youhana, A. & Watkins, A. Exploration of xenon as a potential cardiostable sedative: a comparison with propofol after cardiac surgery, 829

Dion, P. *see* Ho, A.M.-H.

Dob, D. *see* May, A.

Dodds, C. *see* Kumar, C.M.

Doehn, C. *see* Doehn, M.

Doehn, M., Doehn, C. & Doehn, C. Wrong ECG leads, 924

Doherty, M.J., Millner, P.A., Latham, M., Dickson, R.A. & Elliott, M.W. Non-invasive ventilation in the treatment of ventilatory failure following corrective spinal surgery, 235

Doherty, W.L. *see* Hart, E.M.

Dohi, S. *see* Yanagidate, F.

Dolgner, M. *see* Dalgleish, D.J.

Dollman, M. *see* Sobolev, I.

Donald, F. *see* Lewis, S.

Donaldson, S.I. *see* Noble, J.S.

Douglas, H. *see* Ludbrook, G.L.

Dresner, M. & Stacey, R.G.W. High-dose intrathecal diamorphine for analgesia after Caesarean section, 607

Dressner, M., Riad, T., Keep, M. & Reynolds, F. Spinal anaesthesia and conus damage, 707

Drummond, G.B., Sawyer, R.J., Richmond, M.N., Jarratt, J. & Hickey, J. Are peri-operative peripheral nerve lesions preventable?, 288

Ducat, C.M. *see* Webster, C.S.

Duggan, J. *see* Haslam, N.

Duggan, J. *see* Linnett, V.C.

Duncan, M.A. & Victory, R. An audit of the pain management work done by anaesthetists during on-call time in a teaching hospital, 608

Dunnett, J. *see* Chidley, K.

Dutta, A. *see* Malhotra, S.K.

Dutta, A. *see* Podder, S.

Dworschak, M., Maurer, J.T., Haschemian, T., Rapp, H.-J. & Waschke, K.F. The use of spectral measures of heart rate

variability to differentiate between male snorers and patients with sleep apnoea syndrome, 424

Edbrooke, D. *see* Jacobs, P.

Edbrooke, D.L., Ridley, S.A., Hibbert, C.L. & Corcoran, M. Variations in expenditure between adult general intensive care units, 208

Edkins, C.L. *see* Pittaway, A.

Edwards, S.M., Williams, J.C. & McCahon, R.A. Universal precautions at cardiac arrests, 378

Elliot, M.W. *see* Doherty, M.J.

Ellis, C. *see* Murray, N.

Emmens, D.J. *see* Mann, N.K.

Endoh, H., Honda, T., Ohashi, S., Hida, S., Shibue, C. & Komura, N. The influence of nitroglycerin and prostaglandin E₁ on dynamic cerebral autoregulation in adult patients during propofol and fentanyl anaesthesia, 947

Engelhardt, T. *see* Lowe, P.R.

Enlund, M., Wiklund, L. & Lambert, H. A new device to reduce the consumption of a halogenated anaesthetic agent, 429

Erlacher, W. *see* Walzl, B.

Esuvaranathan, V. *see* Mukherjee, K.

Evans, P. Placing the epidural catheter before intrathecal injection during combined spinal epidural anaesthesia, 1212

Evans, P.R. *see* Perkins, V.

Evans, P.R., Graham, S. & Kumar, C.M. The use of sevoflurane in acute intermittent porphyria, 388

Evans, R. *see* Kurian, S.M.

Evans, T.W. *see* Hoth, T.

Ewan, P.W. Adverse reactions to colloids, 771

Farrar, D. *see* Dewhurst, A.T.

Fassbender, K. *see* Jacobs, P.

Fauvel, N. *see* Scragg, P.

Fawcett, W.J. *see* Chapman, J.M.

Fawcett, W.J. *see* Mitchell, J.

Fee, J.P.H. *see* Bedi, A.

Feiss, P. *see* Nathan, N.

Fent, M.T. *see* Piper, S.N.

Ferch, N.I. *see* Taneja, R.

Fernandes, N.O. *see* Kurian, S.M.

Fernandes, R. *see* Hames, K.C.

Fernando, C. Poisoning due to *Abutilon precatorius* (jequirity bean), 1178

Fernando, P.M. & Peck, D.J. An uncommon cause of vaporiser failure, 1009

Fernando, R. *see* Davies, J.

Ferreira, J.C.D. *see* Viera, V.

Ferreira, M.B.C. *see* Caumo, W.

Finch, S. *see* Thomas, R.

Findlay, G.P. *see* Dingley, J.

Fiorani, L. *see* Bilotta, F.

Fisher, A., Lupu, L., Gurevitz, B., Brill, S., Margolin, E. & Hertzanu, Y. Hip flexion and lumbar puncture: a radiological study, 262

Flaishon, R. *see* Weinbroum, A.A.

Flatt, N. *see* Turner, M.A.

Fletcher, D. *see* Mimo, O.

Flynn, R. *see* Porter, J.M.

Foëx, B.A. *see* Dingley, J.

Foëx, P. *see* Higham, H.

Ford, P. *see* Lewis, S.

Foschi, D., Rizzi, A., Zighetti, M.L., Bissi, M., Corsi, F., Trabucchi, E., Mezzetti, M. & Cattaneo, M. Effects of surgical stress and nitrous oxide anaesthesia on peri-operative plasma levels of total homocysteine. A randomised, controlled study in general surgery, 676

Fowler, E. *see* Papadimos, T.J.

Foxall, R.M. Incidence of anaphylaxis under anaesthesia, 294

Francis, G.A. *see* McGill, A.

Francis, J.G. Full circle, 283

Francis, S. *see* Habib, A.

Fraser, J. *see* Murphy, P.J.

Freitag, N. *see* Schmidt, M.

Frerk, C. *see* Girgis, Y.

Frerk, C., Gupta, K., Cook, T., Perera, C., Vaughan, R.S. & Wiener, P.C. The Flexiblade, 186

Frizelle, H.P. *see* Harmon, D.

Frow, M.W.O. *see* Verma, S.

Fry, R. *see* Laurent, S.

Fuchs, M. *see* Walzl, B.

Fujioka, Y. *see* Hayakawa, M.

Fukuda, K. *see* Shinomura, T.

Furutani, H. *see* Shinomura, T.

Gabbott, D.A. *see* Clayton, T.J.

Gabbott, D.A. *see* Cook, T.M.

Gaitini, L.A. *see* Somri, M.

Gallagher, A.C. *see* Bedi, A.

Galley, H.F. *see* Yassen, K.A.

Gankin, I. *see* Somri, M.

Gardiner, J. *see* Moran, C.

Garfield, M., Ridley, S., Kong, A., Burns, A., Blunt, M. & Gunning, K. Seasonal variation in admission rates to intensive care units, 1136

Garrard, C.S. *see* Mackenzie, I.M.

Gatt, S.P. *see* Collier, C.B.

Gbinigie, N.I., Alderson, M.L. & Barclay, P.M. Informed consent, and fainting fathers, 603

Geary, M. *see* Moran, C.

Gemmell, L. *see* Davies, R.G.

Georgiou, L. *see* Asai, T.

Gertzen, W. *see* Palm, S.

Gill, K.D. *see* Malhotra, S.K.

Gill, P., Kiani, S., Victoria, B.A. & Atcheson, R. Pre-emptive analgesia with local anaesthetic for herniorrhaphy, 414

Gillies, M. & Hogarth, I. Liver rupture after cardiopulmonary resuscitation during peri-operative cardiac arrest, 387

Gillon, M.-C. *see* Mimo, O.

Gin, T. *see* Chen, P.P.

Girard, F. *see* Barbara, J.

Girbes, A.R.J. *see* Polderman, K.H.

Girgis, Y., Frerk, C. & Pigott, D. Redistribution of halothane and sevoflurane under simulated conditions of acute airway obstruction, 613

Girgis, Y., Konarzewski, W. & De'Ath, S. Unrecognised fatal anaphylactic reaction to propofol or fentanyl, 1016

Gleim, M. *see* Palm, S.

Gnanadurai, T.V. *see* Raphael, J.H.

Goh, M.H. *see* Ip-Yam, P.C.

Goldstone, J.C. *see* Dewhurst, A.T.

Goodman, B.H. *see* Hames, K.C.

Goodyear, P. Identification of epidural space using air and normal saline, 397

Gorringe, J. *see* Clark, M.X.

Gosney, S. & Shannon, P.E. An alternative position for the pulse oximeter probe, 493

Goswami, A.K. *see* Malhotra, S.K.
 Goyal, M. Reinforced epidural catheters, 94
 Graham, A.C. & McClure, J.H. Quantitative assessment of motor block in labouring women receiving epidural analgesia, 470
 Graham, S. *see* Evans, P.R.
 Graham, S. *see* Perkins, V.
 Gray, R.A., Lynch, C., Hehir, M. & Worsley, M. Intravesical pressure and the TUR syndrome, 461
 Grewal, B.S. *see* Bromage, P.R.
 Grewal, K. & Samsoon, G. Facilitation of laryngeal mask airway insertion. Effects of remifentanil administered before induction with target-controlled propofol infusion, 898
 Grewal, K. *see* Samsoon, G.
 Griffiths, R. *see* Murphy, P.J.
 Griffiths, R. *see* Tovey, G.
 Grobbee, D.E. *see* Arbus, M.S.
 Grüning, T. *see* Mulleague, L.
 Guest, C. *see* Maguire, A.
 Guha, A., Mills, S. & Tomlinson, A. The use of central venous cannulae in neuroanaesthesia, 1014
 Gunning, K. *see* Garfield, M.
 Gunaydin, B., Akcali, D. & Alkan, M. Epidural anaesthesia for Caesarean section in a patient with Devic's Syndrome, 565
 Gupta, K. *see* Cook, T.M.
 Gupta, K. *see* Frerk, C.
 Gupta, S. *see* Richardson, J.
 Gupta, S., Ravalia, A. & Jonnada, H.R. Pain on injection with propofol, 1016
 Gurevitz, B. *see* Fisher, A.
 Gwinnutt, C.L. *see* McCluskey, A.
 Gwynne Hughes, L., Thomas, D.W., Wareham, K., Jones, J.E., John, A. & Rees, M. Intra-operative blood salvage in abdominal trauma. A review of 5 years' experience, 217
 Habib, A., Sharpe, P., Anderson, S., Francis, S., Davidson, A.C. & Smith, G. Buscopan® for the treatment of pain after laparoscopic sterilisation, 174
 Halkic, N., Blanc, C., Corthesy, M-E. & Corpataux, J-M. Lumbar spondylodiscitis after epidural anaesthesia at a distant site, 602
 Hall, L.W. Mendelson's syndrome, 194
 Hallworth, S. *see* Hunt, K.
 Halpenny, M., Lakshmi, S., O'Donnell, A., O'Callaghan-Enright, S. & Shorten, G.D. Fenoldopam: renal and splanchnic effects in patients undergoing coronary artery bypass grafting, 953
 Hamdani, G.A. *see* Khan, E.I.
 Hames, K.C., Fernandes, R. & Goodman, B.H. Another problem with reusable tubes, 803
 Hamilton, A.G. Tackling rare syndromes, 1216
 Hammond, E., McIndoe, A. & Nixon, M. The anaesthetic logbook, 587
 Hammond, E.J. & Pickford, A.M. An unusual ECG!, 402
 Hammond, E.J. Pressure for success, 392
 Hanlon, M.R. *see* Lahoud, G.Y.G.
 Hans, P., Bonhomme, V., Benmansour, H., Dewandre, P.Y., Brichant, J.F. & Lamy, M. Effect of nitrous oxide on the bispectral index and the 95% spectral edge frequency of the electroencephalogram during surgery, 999
 Hardy, L. *see* McCluskey, A.
 Harmer, M. *see* Alston, R.P.
 Harmer, M. *see* Hubregtse, G.
 Harmer, M. *see* Shaaban Ali, M.
 Harmer, M. When is a standard not a standard? When it is a recommendation, 611
 Harmon, D., Frizelle, H.P., Pande, R., Pande, M., Bhadani, U., Pandey, C.K. & Bhattacharya, A. Supravacular block for day-case anaesthesia at altitude, 197
 Harper, N.J.N. & Sanders, R. A new APL valve hazard, 1119
 Harris, R.J.D. *see* Pfitzner, J.
 Harrison, G.R. The effect of posture on cerebral oxygenation during abdominal surgery, 1181
 Harrison, M.J. Tracking the early acquisition of skills by trainees, 995
 Harrop-Griffiths, W. & Picard, J. Continuous regional analgesia: can we afford not to use it?, 299
 Harrop-Griffiths, W. *see* Roberts, W.O.
 Harrop-Griffiths, W. *see* Sinha, A.
 Harrop-Griffiths, W. *see* Troy, A.M.
 Hart, E.M. & Doherty, W.L. Storage of thiopental, 1214
 Harvey, P. *see* Pittaway, A.
 Haschemian, T. *see* Dworschak, M.
 Haslam, N., Broadhurst, M. & Duggan, J. Motor block in regional anaesthesia. Quantification by muscle strength at the ankle joint, 1174
 Haslett, R. *see* McCluskey, A.
 Hauswirth, C.B. *see* Wenger, M.
 Hayakawa, M., Fujioka, Y., Morimoto, Y., Okamura, A. & Kemmotsu, O. Pathological evaluation of venous emboli during total hip arthroplasty, 571
 Hayashi, Y. *see* Kuri, M.
 Hayes, A.H. *see* Breslin, D.S.
 Hayes, A.H., Mirakhur, R.K., Breslin, D.S., Reid, J.E. & McCourt, K.C. Postoperative residual block after intermediate-acting neuromuscular blocking drugs, 312
 Hedges, S., Jefferson, P., Ball, D.R., Sasaki, R., Hirota, K. & Masuda, A. Prediction of degree of hypomagnesaemia during general anaesthesia, 389
 Hehir, M. *see* Gray, R.A.
 Hellewell, S.A. Machine check OSCE - which guidelines are right?, 487
 Helmy, S.A.K. & Al-Attiyah, R.J. The immunomodulatory effects of prolonged intravenous infusion of propofol versus midazolam in critically ill surgical patients, 4
 Henley, M. *see* Clark, M.X.
 Hepp, M. *see* Dingley, J.
 Herrema, I. & Clarke, M. Anaesthesia for retinoblastoma screening - a dilemma, 486
 Hertzanu, Y. *see* Fisher, A.
 Hibbert, C. *see* Jacobs, P.
 Hibbert, C.L. *see* Edbrooke, D.L.
 Hickey, J. *see* Drummond, G.B.
 Hida, S. *see* Endoh, H.
 Higham, H., Sear, J.W., Neill, E., Sear, Y.M. & Foëx, P. Perioperative silent myocardial ischaemia and long-term adverse outcomes in non-cardiac surgical patients, 630
 Hilditch, G., Crawford, J. & McLaughlin, D. A sticky edge, 804
 Hill, J.S., Hughes, E.W. & Robertson, P.A. A *Staphylococcus aureus* paraspinal abscess associated with epidural analgesia in labour, 873
 Hilton, P.J. Opportunity knocks? - I think not, 372
 Hilton, P.J. Peripheral nerve injuries, 289
 Hirota, K. *see* Hedges, S.
 Hirsch, J., Wendt, T., Kuhly, P. & Schaffartzik, W. Point of care testing. Measurement of coagulation, 760
 Hirsch, N.P. *see* Chapman, M.G.
 Ho, A.M.-H., Dion, P., Karmakar, M.K., Cheng, G., Derrick, J.L., Chung, D.C. & Tay, B.A. A pharmacokinetic model for factor

VIII dosing during active haemorrhage in patients with haemophilia A, 786

Ho, K. *see* Bromage, P.R.

Hocking, G., Roberts, F.L. & Thew, M.E. Airway obstruction with cricothyroid pressure and lateral tilt, 825

Hoda, M.Q. *see* Khan, F.A.

Hodge, M. *see* Barkshire, K.

Hodzovic, I. *see* Varvinski, A.

Hofer, C., Zalunardo, M.P. & Zollinger, A. Total intravenous anaesthesia in a patient with familial hypokalaemic periodic paralysis, 1082

Hogan, T.S. *see* O'Sullivan, S.

Hogarth, I. *see* Gillies, M.

Hogg, N. *see* Webb, L.

Holtham, A.M. & Weaver, M.K. Difficulties with placement of disposable laryngeal mask airways, 1121

Honda, T. *see* Endoh, H.

Hornsby, V.P.L. *see* Isaac, R.

Hoth, T. & Evans, T.W. Activated protein C: the cure for sepsis – again?, 1133

Houghton, K. *see* Davies, K.E.

Howie, J.C. *see* Noble, J.S.

Hubregtse, G., Collins, S.J. & Harmer, M. Patient consent for case reports, 906

Hucker, T., Schaeffer, B., Wakeling, H. & Parr, D. A retained surgical swab, 1126

Hudsmith, J.G. & Navapurkar, V.U. Hallucinations related to artificial ventilation in the prone position, 1124

Hughes, C., Johnson, C. & Irvine, G. A technique to reduce airway risk in patients undergoing maxillofacial surgery, 1127

Hughes, E.W. *see* Hill, J.S.

Hughes, L. *see* Dingley, J.

Human, M. *see* Coe, T.R.

Hünseler, U. *see* Kampe, S.

Hunt, K., Hallsworth, S. & Smith, M. The effects of rigid collar placement on intracranial and cerebral perfusion pressures, 511

Hurst, W. *see* Thomas, A.N.

Hutchinson, S.P. *see* McGill, A.

Hutton, A. & Christie, I. Misconnection misadventure, 1022

Hwang, N.C. Trivial pursuit: which drug is in the syringe, nitroglycerine or epinephrine?, 401

Iizawa, A. *see* Yanagidate, F.

Incagnoli, P. *see* Mimoz, O.

Innes, R.J. *see* Millo, J.

Ip-Yam, P.C. The fresh-gas flow sequence at the start of low-flow anaesthesia, 911

Ip-Yam, P.C., Goh, M.H., Chan, Y.H. & Kong, C.F. Clinical evaluation of the Mapleson theoretical ideal fresh gas flow sequence at the start of low-flow anaesthesia with isoflurane, sevoflurane and desflurane, 160

Irvine, G. *see* Hughes, C.

Irwin, M.G. & Ng, J.K.F. Transoesophageal acoustic quantification for evaluation of cardiac function during laparoscopic surgery, 623

Irwin, M.G. *see* Mak, P.H.K.

Isaac, R., Coe, A.J. & Hornsby, V.P.L. False-positive epidural catheter aspiration tests in needle through needle combined spinal-epidural anaesthesia, 772

Isbister, G.K., Whyte, I.M. & Smith, A.J. Olanzapine overdose, 400

Itoh, H., Shibata, K. & Nitta, S. Neuromuscular monitoring in myasthenic syndrome, 562

Iwamoto, C.W. *see* Caumo, W.

Jacobs, P., Edbrooke, D., Hibbert, C., Fassbender, K. & Corcoran, M. Descriptive patient data as an explanation for the variation in average daily costs in intensive care, 643

Jakobsson, J.G. *see* Barr, G.

Janes, J. & Latto, I.P. Optimum length of needles for internal jugular vein cannulation, 192

Janetzko, K., Klüter, H., Kirchner, H. & Klotz, K.-F. The effect of moderate hypovolaemia on microcirculation in healthy older blood donors, 103

Jarratt, J. *see* Drummond, G.B.

Jefferson, P. *see* Badrakumar, A.

Jefferson, P. *see* Ball, D.R.

Jefferson, P. *see* Hedges, S.

Jefferson, P. *see* Ogubue, M.N.

Jefferson, P. *see* Perkins, V.

Jeffreys, A.J., Aguilera, I.M. & Vaughan, R.S. Amount of elemental calcium in calcium solutions, 195

Jenkins, I. *see* Murphy, P.J.

Jenkins, J.G. *see* Dharampal, A.

Jenkins, K. *see* Correa, R.

Jenner, C.A., Wilson, J.A. & Birks, R. Continuous patient monitoring, 591

Johmura, S. *see* Asai, T.

John, A. *see* Gwynne Hughes, L.

Johnson, A. *see* Mukherjee, K.

Johnson, C. *see* Hughes, C.

Johnson, R.V. An evaluation of the Airway Management Device, 1122

Johnston, I.G. Undergraduate teaching: a missed opportunity?, 587

Johnston, J.R. *see* McBrien, M.E.

Johnston, P., Williamson, A. & Radford, M. Emergency surgery in the NHS, 1204

Jones, A. *see* Scragg, P.

Jones, G. *see* Kumar, D.Surendra

Jones, J.E. *see* Gwynne Hughes, L.

Jones, M. *see* Smith, R.P.R.

Jones, N. *see* Arepalli, N.

Jones, R. *see* Stacey, R.G.W.

Jones, S.E.F., Dickson, U. & Moriarty, A. Anaesthesia for insertion of bone anchored hearing aids in children: a 7-year audit, 777

Jones, S.J. & Cohen, A.M. Confusing drug concentrations, 195

Jonnada, H.R. *see* Gupta, S.

Josse, C. *see* Mimoz, O.

Jreige, M.M. *see* Sobreira, D.P.

Judd, V. *see* Varvinski, A.

Kabon, B. *see* Waldb, B.

Kadry, M.A., Rutter, S.V. & Popat, M.T. Regional anaesthesia for limb surgery – before or after general anaesthesia. A survey of anaesthetists in the Oxford region, 450

Kagawa, K. *see* Kuri, M.

Kakodkar, P.S. & Kay, N.H. Capnography can aid in diagnosis of tracheobronchial injury, 594

Kale, S.S. & Oosthuysen, S.A. Detecting the epidural space, 196

Kalmannovitch, D.V.A. Problems with shared offices, 372

Kam, P.C.A. *see* Taneja, R.

Kam, P.C.A., Kavanaugh, R. & Yoong, F.F.Y. The arterial tourniquet: pathophysiological consequences and anaesthetic implications, 534

Kamibayashi, T. *see* Kuri, M.

Kampe, S., Randeck, G., Kiencke, P., Hünseler, U., Cranfield, K., König, D.P. & Diefenbach, C. Comparison of continuous epidural infusion of ropivacaine and sufentanil with intravenous patient-controlled analgesia after total hip replacement, 1189

Kannan, S. & Patel, S. Unexpected benefit from 'recovery' positioning, 1028

Kannan, S. & Sutcliffe, A. False negative CVP with a normal waveform, 96

Kannan, S. Incompatibility of prochlorperazine and ketoprofen, 920

Kannan, S. Potential hazard with syringe infusion pump, 913

Kannan, S. Pulse oximeter aided diagnosis of fluid extravasation, 806

Kapral, S. *see* Waltl, B.

Kar, G. *see* Stacey, R.G.W.

Karadia, S. *see* Bullough, A.S.

Karasawa, F., Tokunaga, M., Aramaki, Y., Shizukuishi, M. & Satoh, T. An assessment of a method of inflating cuffs with a nitrous oxide gas mixture to prevent an increase in intracuff pressure in five different tracheal tube designs, 155

Karmakar, M.K. *see* Ho, A.M.-H.

Karunaratne, W.U. *see* Miller, D.M.

Kavanaugh, R. *see* Kam, P.C.A.

Kawachi, S. *see* Asai, T.

Kay, N.H. *see* Kakodkar, P.S.

Keep, M. *see* Dressner, M.

Kelleher, N. *see* Porter, J.M.

Keller, C. *see* Kleinsasser, A.

Kelly, D.R. *see* Bewsher, M.S.

Kemmotsu, O. *see* Hayakawa, M.

Kendra, M. *see* Bajekal, R.R.

Kennedy, R.R. & Baker, A.B. The effect of cardiac output changes on end-expired volatile anaesthetic concentrations - a theoretical study, 1034

Kenningham, J., Dearlove, O. & Wilson, B. Misplaced central venous catheter, 809

Keohane, M., Luney, S.R. & McKenna, J. Adrenaline 0.5%, 818

Kersley, M. *see* Williams, D.J.

Khaitan, A. *see* Malhotra, S.K.

Khan, E.I. & Hamdani, G.A. Unplanned administration of atropine, succinylcholine and lidocaine, 94

Khan, F.A. & Hoda, M.Q. A prospective survey of intra-operative critical incidents in a teaching hospital in a developing country, 177

Khan, M. *see* Mulleague, L.

Kiani, S. *see* Gill, P.

Kiencke, P. *see* Kampe, S.

Kihara, S. *see* Dimitriou, V.

Kim, S.H. *see* Park, W.K.

King, R. *see* Dingley, J.

King, T.A., Cooke, R.P.D. & Wallace, P.G.M. Collaborative infection control policies for anaesthetic equipment are needed, 1203

Kinirons, B. *see* Troy, A.M.

Kirchner, H. *see* Janetzko, K.

Kirton, C.B. *see* Morgan-Hughes, N.J.

Kishen, R. *see* McCluskey, A.

Kitajima, T. *see* Okuda, Y.

Kitsberg, A. Useful advice when using Trilene, 400

Kleinsasser, A., Loeckinger, A., Lindner, K.H., Keller, C., Boehler, M. & Puehringer, F. Reversing sevoflurane-associated Q-Tc prolongation by changing to propofol, 248

Klotz, K.-E. *see* Janetzko, K.

Klüter, H. *see* Janetzko, K.

Knight, P.R., Choyce, A. & McCartney, C.J.L. Anaesthesia clinics: the Canadian experience, 85

Knights, D.T. *see* Clark, M.X.

Knowles, V. *see* Raphael, J.H.

Koga, K., Shigematsu, A., Noguchi, T. & Shiga, Y. Should epidurals be avoided in acupunctured patients?, 291

Koh, K.F. *see* Tan, G.M.

Koivunen, P.T. *see* Akural, E.I.

Komura, N. *see* Endoh, H.

Konarzewski, W. & De'Ath, S. Unrecognised fatal anaphylactic reaction to propofol or fentanyl, 497

Konarzewski, W. *see* Gergis, Y.

Kong, A. *see* Garfield, M.

Kong, C.F. *see* Ip-Yam, P.C.

König, D.P. *see* Kampe, S.

Kotzerke, J. *see* Schmidt, M.

Koutromanolis, M. *see* Dardis, R.

Krishna, G.M. PCEA or PACE, 923

Krishnaker, M.V., Otero-Carrasco, J. & Popat, M.T. Reliability of Mallampati classification in upper airway pathology, 804

Krishnamurthy, S. *see* Shaw, I.C.

Kuczkowski, K.M. & Benumof, J.L. Anaesthesia and hair fashion, 799

Kuhlman, L. *see* Mimoz, O.

Kuhly, P. *see* Hirsch, J.

Kulemeka, G. & Mendonca, C. Huntingdon's chorea: use of rocuronium, 1019

Kulinskaya, E. *see* Makker, R.

Kumar, C.M. & Dodds, C. A disposable plastic sub-Tenon cannula, 399

Kumar, C.M. *see* Evans, P.R.

Kumar, C.M. *see* Perkins, V.

Kumar, D.Surendra & Jones, G. Is your bougie helping or hindering you?, 1121

Kumar, R.N., Chambers, W.A. & Pertwee, R.G. Pharmacological actions and therapeutic uses of cannabis and cannabinoids, 1059

Kumle, B. *see* Piper, S.N.

Kuri, M., Hayashi, Y., Kagawa, K., Takada, K., Kamibayashi, T. & Mashimo, T. Evaluation of diagonal earlobe crease as a marker of coronary artery disease: the use of this sign in pre-operative assessment, 1160

Kurian, J., Raghavan, V. & Shetty, P. The rule of three, 1205

Kurian, S.M., Evans, R., Fernandes, N.O. & Sherry, K.M. The effect of an infusion of esmolol on the incidence of myocardial ischaemia during tracheal extubation following coronary artery surgery, 1163

La Rosa, I. *see* Bilotta, F.

Lack, J.A. Standards and targets, 1117

Laffey, J.G. & Boylan, J.F. Patient compliance with pre-operative day case instructions, 910

Laffey, J.G., Story, D., Poustie, S. & Bellomo, R. Protective effects of acidosis, 1013

Lahoud, G.Y.G., Averley, P.A. & Hanlon, M.R. Sevoflurane inhalation conscious sedation for children having dental treatment, 476

Lai, E.C.H. *see* To, E.W.H.

Lake, A.J.P. Risk perception and communication: informed consent, 1204

Lake, A.P.J. Basal oxygen flow, 1120

Lakshmi, S. *see* Halpenny, M.

Lalayev, G. *see* Weinbroum, A.A.

Lam, D.T.C., Ngan Kee, W.D. & Shaw, K.S. Extension of epidural blockade in labour for emergency Caesarean section using 2% lidocaine with epinephrine and fentanyl, with or without alkalinisation, 790

Lam, K.K. *see* Chen, P.P.

Lambert, H. *see* Enlund, M.

Lamy, M. *see* Hans, P.

Langton, J. *see* Dill-Russell, P.
 Lanigan, C. Luer-lock epidural connections, 586
 Lanigan, C.J. *see* Pearse, R.M.
 Latham, M. *see* Doherty, M.J.
 Latto, I.P. *see* Alston, R.P.
 Latto, I.P. *see* Janes, J.
 Latto, I.P. *see* Shaaban Ali, M.
 Laurence, A.S. *see* Mahmoud, N.A.
 Laurent, S., Fry, R., Nixon, C. & Stewart, M. Serial failure of Diprifusor infusion pumps, 596
 Laurie, P.S. *see* Millo, J.
 Lavies, N.G. Saturation during upper GI endoscopy, 183
 Law, B.C.W. & Moynham, D. Incorrect assembly of the flexiblade fibroscopic bundle, 914
 Leary, J.A. & Parsons, A. Mechanical failure of the McCoy laryngoscope during a difficult intubation, 88
 Ledowski, T. *see* Palin, S.
 Lee, P. Combinations of opioids for epidural analgesia, 1021
 Leonard, I.E. & Chinappa, V. Vascular access procedures for haemodialysis – potential hazard of regional anaesthesia, 917
 Levy, N. Extending the oesophageal Doppler into the peri-operative period, 1123
 Lewis, S. & Simpson, P. Unrecognised anaphylaxis to propofol or fentanyl, 1128
 Lewis, S., Donald, F. & Ford, P. What's the point?, 708
 Leynadier, F. *see* Barbara, J.
 Leynadier, F. *see* Wilkes, A.R.
 Liley, A. *see* Moriarty, A.
 Lindhoff, G. *see* Badrakumar, A.
 Lindner, K.H. *see* Kleinsasser, A.
 Linnett, V.C., McMenemy, F. & Duggan, J. Pressure sores: blame the mobile epidural!, 814
 Little, R.A. *see* Dingley, J.
 Llewellyn, N. *see* Moriarty, A.
 Loeckinger, A. *see* Kleinsasser, A.
 Lönnqvist, P.-A. *see* Naja, Z.
 Löppönen, H.J. *see* Akural, E.I.
 Lowe, P.R. & Engelhardt, T. Prion-related diseases and anaesthesia, 485
 Lucas, D.N. *see* Stirrup, C.A.
 Ludbrook, G.L., Macintyre, P.E., Douglas, H., Ong, L. & Upton, R.N. A mixture of alfentanil and morphine for rapid post-operative loading with opioid: theoretical basis and initial clinical investigation, 739
 Lüderwald, S. *see* Schmidt, M.
 Luney, S.R. *see* Keohane, M.
 Lupu, L. *see* Fisher, A.
 Lutman, D. *see* Bammon, L.
 Lynch, C. *see* Gray, R.A.
 Lynch, M. Risk of infection from laryngeal mask airways, 87
 M. O'Connor, P. *see* Sanders, M.
 Ma, M. *see* Chen, P.P.
 Macintyre, P.E. *see* Ludbrook, G.L.
 Mackenzie, I.M., Garrard, C.S. & Young, J.D. Indices of nitric oxide synthesis and outcome in critically ill patients, 326
 Mackenzie, I.M.J. The haemodynamics of human septic shock, 130
 Mackirdy, F.N. *see* Noble, J.S.
 Mackrodt, K. *see* Williams, M.A.
 Macpherson, R.D. Pharmaceutics from the anaesthetist, 965
 Macrae, W. *see* McLeod, G.A.
 Maestrido, P. *see* Cohen, S.
 Maguire, A., Thompson, J.P., Guest, C., Sadler, P.J., Strupish, J.W. & West, K.J. Comparison of the effects of intravenous alfentanil and esmolol on the cardiovascular response to double-lumen endobronchial intubation, 319
 Mahajan, R., Sandhya, Y. & Chari, P. An alternative technique for retrograde intubation, 1207
 Mahmoud, N.A., Rose, D.J.A. & Laurence, A.S. Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration?, 171
 Mahon, S. *see* Dingley, J.
 Mak, P.H.K., Irwin, M.G., Ooi, C.G.C. & Chow, B.F.M. Incidence of diaphragmatic paralysis following supraclavicular brachial plexus block and its effect on pulmonary function, 352
 Makker, R., Bailey, P., Royston, R. & Kulinskaya, E. Computerised dynamic posturography to assess recovery comparing general anaesthesia with sedation and local anaesthesia for day case nasal surgery, 1097
 Mal, R. *see* Thomas, M.J.C.
 Maleck, W.H. *see* Piper, S.N.
 Malhotra, S.K., Khatan, A., Goswami, A.K., Gill, K.D. & Dutta, A. Monitoring of irrigation fluid absorption during percutaneous nephrolithotripsy: the use of 1% ethanol as a marker, 1103
 Mallick, A. The Airway Management Device; is it not similar to the Combitube, 1206
 Maltby, J.R., Beriault, M.T., Watson, N.C. & Asai, T. Use of the laryngeal mask is not contraindicated for laparoscopic cholecystectomy, 800
 Mandal, N.G. & Asai, T. A new device has to be safe and reliable too, 382
 Mandal, N.G. *see* O'Neil, M.J.
 Manji, M. *see* Singh, S.
 Mann, N.K. & Emmens, D.J. Pre-operative visits by anaesthetists, 1117
 Marchant, W.A. & Wright, S. Aortic cross-clamping in sickle cell disease, 286
 Marchant, W.A. *see* Orme, R.M.L'E.
 Marchant, W.A., Wright, S. & Porter, J.B. Coronary bypass graft surgery in a patient with haemoglobin SC disease, 667
 Margolin, E. *see* Fisher, A.
 Marriage, S. *see* Murphy, P.J.
 Martin, F. & Wilde, A. Tonsillectomy – anaesthetic technique and the new disposable surgical equipment, 912
 Marx, T. *see* Reinelt, H.
 Marx, T. *see* Schmidt, M.
 Mashimo, T. *see* Kuri, M.
 Mason, P. *see* Dewhurst, A.T.
 Mason, R.A. The case report – an endangered species?, 99
 Masuda, A. *see* Hedges, S.
 Mather, S.J. *see* Steeds, C.
 Matta, B.F. *see* Wilkins, I.A.
 Matthews, A.J. & Sanders, D.J. Single-lung ventilation via a tracheostomy using a fibreoptically-directed 'steerable' endobronchial blocker, 492
 Matthews, G.A. Survey of cricoid pressure application by anaesthetists, operating department practitioners, intensive care and accident and emergency nurses, 915
 Maurer, J.T. *see* Dworschak, M.
 May, A., Yentis, S. & Dob, D. The case report – an endangered species, 585
 May, A.E. *see* McKenzie, A.G.
 Mayall, M.F. & Calder, I. Before or after general anaesthesia?, 920
 Mayall, R. *see* Wisely, N.A.
 Mayell, A.C. Pre-registration house officers in anaesthesia, 374

McAteer, P. *see* Carter, J.A.

McBrien, M.E. *see* Breslin, D.S.

McBrien, M.E., Breslin, D.S., Atkinson, S. & Johnston, J.R. Use of methoxamine in the resuscitation of epinephrine-resistant electromechanical dissociation, 1085

McCaughan, R.A. *see* Edwards, S.M.

McCann, J. *see* Robin, N.

McCartney, C.J.L. *see* Knight, P.R.

McClure, J.H. *see* Graham, A.C.

McCluskey, A. & Abdul-Latif, M.S. Midazolam pre-induction can save money, 595

McCluskey, A. *see* Abdul-Latif, M.S.

McCluskey, A. *see* Ballin, M.S.

McCluskey, A., Gwinnutt, C.L., Hardy, L., Haslett, R., Bowles, B. & Kishen, R. Evaluation of the Pneupac Ventipac portable ventilator in critically ill patients, 1073

McConachie, I. *see* Bewsher, M.S.

McConachie, I. *see* Cupitt, J.M.

McCormick, B.A., Brown, J., Davies, R. & Sanders, D.J. Reducing unnecessary blood cross-matching, 377

McCourt, K.C. *see* Hayes, A.H.

McCready-Hall, L. *see* Plaat, F.

McDermott, M. & Dearlove, O.R. A defect in disposable equipment, 1215

McElwain, J.P. *see* O'Sullivan, S.

McGill, A., Hutchinson, S.P., Andrzejowski, J.C. & Francis, G.A. Working patterns of trainee anaesthetists in the UK: results of a national postal survey, 50

McGill, F.J. *see* Varvinski, A.

McGlennan, A.P. Do anaesthetists benefit from general medical experience?, 907

McGurgan, P. *see* Richardson, J.

McHardy, F.E., Bayly, P.J.M. & Wyatt, M.G. Fatal subdural haemorrhage following lumbar spinal drainage during repair of thoraco-abdominal aneurysm, 168

McIndoe, A. *see* Hammond, E.

McKenna, J. *see* Keohane, M.

McKenna, P. *see* Moran, C.

McKenzie, A.G., Brooks, H., Christian, A.S. & May, A.E. Guillain-Barré syndrome may be associated with HIV infection, 193

McKinlay, S., Broome, I.J. & Suhonen, E. Monitoring problem due to faulty ECG lead, 489

McLaughlin, D. *see* Hilditch, G.

McLeod, G.A. & Burke, D. Levobupivacaine, 331

McLeod, G.A., Davies, H.T.O., Munnoch, N., Bannister, J. & Macrae, W. Postoperative pain relief using thoracic epidural analgesia: outstanding success and disappointing failures, 75

McLeod, T. *see* Prakash, N.

McMenemey, F. *see* Linnett, V.C.

Meadows, D.P. *see* Abdul-Latif, M.S.

Medina, J. *see* Urtubia, R.M.

Meek, T. Anaesthesia in an unusual location, 608

Melischek, M. *see* Walzl, B.

Mellor, A. & Soni, N. Fat embolism, 145

Mellor, A. Helicopter retrievals in Australia, 1117

Mendonca, C. & Thorpe, C.M. Effect of smoking on induction of anaesthesia with sevoflurane, 19

Mendonca, C. *see* Kulemeka, G.

Menezes, R.B. *see* Correa, R.

Menon, D.K. *see* Wilkins, I.A.

Menon, R. An unusual case of tracheal tube obstruction, 700

Merry, A.F. *see* Webster, C.S.

Meursing, A.E.E. *see* Arbous, M.S.

Mezzetti, M. *see* Foschi, D.

Michie, M. *see* Murray, N.

Millar, M. Pre-operative assessment clinics – the last word, 372

Miller, D.M., Youkhana, I., Karunaratne, W.U. & Pearce, A. Presence of protein deposits on 'cleaned' re-usable anaesthetic equipment, 1069

Milligan, L.J. *see* Watkins, E.J.

Millner, P.A. *see* Doherty, M.J.

Millo, J., Siddons, M., Innes, R.J. & Laurie, P.S. Randomised double-blind comparison of ondansetron and droperidol to prevent postoperative nausea and vomiting associated with patient-controlled analgesia, 60

Mills, G.H. *see* Turnbull, D.

Mills, K.G. *see* Rogers, S.A.

Mills, S. *see* Guha, A.

Mills, S.J. & Tomlinson, A.A. The use of central venous cannulae in neuroanaesthesia. A survey of current practice in the UK, 465

Milne, S.E. A repainted nitrous oxide cylinder?, 701

Mimoz, O., Incagnoli, P., Josse, C., Gillon, M-C., Kuhlman, L., Mirand, A., Soilleux, H. & Fletcher, D. Analgesic efficacy and safety of nefopam vs. propacetamol following hepatic resection, 520

Mirakhur, R.K. *see* Breslin, D.S.

Mirakhur, R.K. *see* Hayes, A.H.

Mirand, A. *see* Mimoz, O.

Mishio, M. *see* Okuda, Y.

Mitchell, J. Recommendations for standards of monitoring during anaesthesia and recovery, 488

Mitchell, J., Fawcett, W.J., Blowers, H. & Wilson, G. Complete power failure, 274

Mitra, D. & Ure, D. Oxygenation during percutaneous tracheostomy, 384

Moaz, K. *see* Otero-Carrasco, J.

Montgomery, J.E. *see* Davies, K.E.

Moran, C., Ni Bhuiinneain, M., Geary, M., Cunningham, S., McKenna, P. & Gardiner, J. Myocardial ischaemia in normal patients undergoing elective Caesarean section: a peripartum assessment, 1051

Morgan-Hughes, N.J. & Kirton, C.B. EMLA – is one hour long enough?, 495

Moriarty, A. *see* Jones, S.E.E.

Moriarty, A., Liley, A. & Llewellyn, N. Luer-lock epidural connections, 1023

Morimoto, Y. *see* Hayakawa, M.

Morley, A.P. *see* Stonell, C.

Morris, J. & Cook, T.M. Rapid sequence induction: a national survey of practice, 1090

Morton, G. & Bowler, I. Combined spinal-epidural as an alternative method of anaesthesia for a sigmoid colectomy, 815

Mostert, M.J., Stuart, H. & Ogilvie, S.M. Subcutaneous emphysema caused by a fenestrated tracheostomy tube, 191

Moynham, D. Flexiblade laryngoscope, 699

Moynham, D. *see* Law, B.C.W.

Mukherjee, K., Esuvaranathan, V., Streets, C., Johnson, A. & Carr, A.S. Adenotonsillectomy in children: a comparison of morphine and fentanyl for peri-operative analgesia, 1193

Mullega, L., Bonner, S.M., Samuel, A., Nichols, P., Khan, M., Shaw, S. & Grunig, T. Wound botulism in drug addicts in the United Kingdom, 120

Munnoch, N. *see* McLeod, G.A.

Murphy, P.J., Jenkins, I., Fraser, J., Marriage, S., Griffiths, R. & Smith, H. Paediatric intensive care transfers, 83

Murray, J.M. *see* Bedi, A.

Murray, N., Clark, V., Ellis, C., Michie, M. & Stewart, M. Puffer-PCA device[®] for rheumatoid arthritis patients, 601

Murtagh, S. *see* Webster, C.S.

Myerson, K.R. Appraisal and revalidation need sensitive handling, 199

Nagai, T., Suzuki, M. & Okazaki, T. Myocardial infarction with creatine kinase genetic aberration, 909

Nagaraj, S.V. *see* Pearse, R.

Nagaraja, S.V. *see* Thind, G.S.

Naja, Z. & Lönnqvist, P.-A. Somatic paravertebral nerve blockade. Incidence of failed block and complications, 1184

Nasel, C. *see* Waltl, B.

Nathan, N., Vial, G., Benrhaiem, M., Peyclit, A. & Feiss, P. Induction with propofol target-concentration infusion vs. 8% sevoflurane inhalation and alfentanil in hypertensive patients, 251

Navapurkar, V.U. *see* Hudsmith, J.G.

Neill, F. *see* Higham, H.

Nel, M.R. *see* Stirrup, C.A.

Newnam, P.T.E. Another faulty catheter mount: now you see it, now you don't, 699

Newport, G.A. In favour of retaining anaesthetic induction rooms, 691

Ng, H.-P. & Tan, K. Brainstem death and ventilator trigger settings, 85

Ng, H.-P. *see* Reddy, M.S.

Ng, J.K.F. *see* Irwin, M.G.

Ngan Kee, W.D. *see* Chen, P.P.

Ngan Kee, W.D. *see* Lam, D.T.C.

Ni Bhuiinneain, M. *see* Moran, C.

Ni, K.M. & Watts, J.C. Day case surgery in an isolated unit may require more stringent selection of cases, 485

Nichols, P. *see* Mulleague, L.

Nitta, S. *see* Itoh, H.

Niv, D. *see* Weinbroum, A.A.

Nixon, C. *see* Laurent, S.

Nixon, M. *see* Hammond, E.

Noble, J.S. *see* Allam, S.

Noble, J.S., Mackirdy, E.N., Donaldson, S.I. & Howie, J.C. Renal and respiratory failure in Scottish ICUs, 124

Noguchi, T. *see* Koga, K.

Nolan, J.P. *see* Cook, T.M.

Notcutt, W. Anaesthesia, what's in a name?, 273

Nott, M.R. EMLA or Ametop, and for how long?, 1026

Nott, M.R. Misidentification, in-filling and confirmation bias, 917

Nunes, J.C.D. *see* Viera, V.

Nyabazda, M. Preventing latex sensitisation and foreign body micro-emboli, 705

O'Beirne, H.A. *see* Watkins, E.J.

O'Callaghan-Enright, S. *see* Halpenny, M.

O'Connor, M. *see* Dawson, P.R.

O'Donnell, A. *see* Halpenny, M.

O'Hare, D. & Chivers, R.J. Arterial blood sampling practices in intensive care units in England and Wales, 568

O'Hare, K. *see* Clark, M.X.

O'Neil, M.J. & Mandal, N.G. Airway management device (AMD), 1010

O'Sullivan, S., McElwain, J.P. & Hogan, T.S. Kinin-mediated anaphylactoid reaction implicated in acute intra-operative pulseless electrical activity, 768

Ocampo, C.E. *see* Chua, N.P.

Ogbue, M.N., Jefferson, P. & Ball, D.R. Peri-operative peripheral nerve injury, 393

Ogilvie, S.M. *see* Mostert, M.J.

Oh, T. *see* Clark, M.X.

Ohashi, S. *see* Endoh, H.

Okamura, A. *see* Hayakawa, M.

Okazaki, T. *see* Nagai, T.

Okuda, Y., Mishio, M., Kitajima, T. & Asai, T. Cremasteric reflex is not a useful indicator of spinal anaesthesia in anaesthetised children, 91

Old, S. *see* Yee, S.

Olday, J. A complication of panendoscopy, 382

Omprakash, S. *see* Cupitt, J.M.

Ong, L. *see* Ludbrook, G.L.

Ono, K. *see* Shinomura, T.

Ooi, C.G.C. *see* Mak, P.H.K.

Oosthuysen, S.A. *see* Kale, S.S.

Orme, R.M.L'E., Williams, M., Marchant, W.A. & Calder, I. Supplementary oxygenation with the laryngeal mask airway, 275

Osawa, M. *see* Shinomura, T.

Osmer, C. *see* White, S.M.

Otero-Carrasco, J. *see* Krishnaker, M.V.

Otero-Carrasco, J., Moaz, K. & Popat, M.T. A new device to facilitate awake oral fibreoptic intubation, 277

Palit, T. & Butt, M.W. Checking anaesthetic apparatus re-visited, 488

Palm, S., Gertzen, W., Ledowski, T., Gleim, M. & Wulf, H. Minimum local analgesic dose of plain ropivacaine vs. ropivacaine combined with sufentanil during epidural analgesia for labour, 526

Palmer, J.H. & Ball, MacG. Lingual thyroid – another potential airway threat, 386

Pande, M. *see* Harmon, D.

Pande, R. *see* Harmon, D.

Pandey, C.K. *see* Harmon, D.

Pandit, J.J. *see* Barkshire, K.

Pandit, J.J. *see* Panjwani, S.

Pánek, V. Epidural haematoma and timing of heparin prophylaxis, 811

Pang, P.C.W. *see* To, E.W.H.

Panjwani, S., Seymour, P. & Pandit, J.J. A manoeuvre for using the flexible fibreoptic bronchoscope through the intubating Laryngeal Mask Airway®, 696

Papadimos, T.J. & Fowler, E. Hypothermia and rapid, cold, peritoneal crystalloid infusion, 805

Parekh, U., Ashwin, P. & Thind, G. Single injection peribulbar anaesthesia: total upper eyelid drop as an endpoint marker, 501

Park, W.K., Kim, S.H. & Choi, H. The two different-sized fibreoptic bronchoscope method in the management of a difficult paediatric airway, 90

Parker, M.R.J. & Willatts, S.M. A pilot study to investigate the effects of an infusion of aminophylline on renal function following major abdominal surgery, 670

Parr, D. *see* Hucker, T.

Parry, H. Spinal cord damage, 290

Parsons, A. *see* Leary, J.A.

Patel, A. *see* Dhileepan, S.

Patel, S. *see* Kannan, S.

Pateman, J. *see* Ali, W.

Paut, O. & Bissonnette, B. Effect of halothane on the cerebral circulation in young children: a hysteresis phenomenon, 360

Peacock, M.J. *see* Pfitzner, J.

Pearce, A. *see* Miller, D.M.

Pearse, R., Raw, D., Nagaraj, S.V. & Thind, G.S. Inadequate pre-operative evaluation and preparation, 374

Pearse, R.M., Dana, E.C., Lanigan, C.J. & Pook, J.A.R. Organisational features in urgent and emergency surgery: a potential perioperative risk factor, 684

Peck, D.J. *see* Fernando, P.M.

Peden, C.J., Cloote, A.H., Stratford, N. & Prys-Roberts, C. The effect of intravenous dexmedetomidine premedication on the dose requirement of propofol to induce loss of consciousness in patients receiving alfentanil, 408

Penny, D.J. The hazards of car cleaning and a novel approach to airway control, 923

Perera, C. *see* Frerk, C.

Perkins, V. Paternal pulse oximetry, 1029

Perkins, V., Ball, D.R., Jefferson, P., Evans, P.R., Graham, S. & Kumar, C.M. Sevoflurane in acute intermittent porphyria, 1019

Pertwee, R.G. *see* Kumar, R.N.

Peyclit, A. *see* Nathan, N.

Pfizer, J., Peacock, M.J. & Daniels, B.W. Administering ambient pressure oxygenation to the non-ventilated lung during thoracoscopic surgery, 281

Pfizer, J., Peacock, M.J. & Harris, R.J.D. Speed of collapse of the non-ventilated lung during single-lung ventilation for thoracoscopic surgery: the effect of transient increases in pleural pressure on the venting of gas from the non-ventilated lung, 940

Pfizer, J., Peacock, M.J. & Pfizer, L. Speed of collapse of the non-ventilated lung during single-lung anaesthesia: the effects of the use of nitrous oxide in sheep, 933

Pfizer, L. *see* Pfizer, J.

Phillips, C.J. The real cost of pain management, 1031

Picard, J. *see* Harrop-Griffiths, W.

Pickford, A.M. *see* Hammond, E.J.

Pietropaoli, P. *see* Bilotta, F.

Pigott, D. *see* Grgis, Y.

Piper, S.N., Kumle, B., Maleck, W.H., Suttor, S.W., Fent, M.T. & Boldt, J. Effects of postoperative sedation with propofol and midazolam on pancreatic function assessed by pancreatitis-associated protein, 836

Pittaway, A. & Harvey, P. Teaching grandma to suck eggs', 910

Pittaway, A., Harvey, P., Edkins, C.L., Plaat, F., Robinson, J. & Birks, R.J.S. Combined spinal-epidurals and epidural top-ups, 921

Pittman, J.A.L. *see* Clayton, T.J.

Plaat, F. & McCready-Hall, L. Hip flexion for lumbar puncture – not easy in obstetric practice, 1023

Plaat, F. *see* Pittaway, A.

Plastow, S. *see* Waterhouse, P.

Plunkett, N. *see* Sobolev, I.

Podder, S., Dutta, A., Yaddanapudi, S. & Chari, P. Challenges in paediatric mask holding: the 'claw hand' technique, 697

Pogson, D.G. *see* Shirley, P.J.

Pogson, D.G. *see* Shirley, P.J.

Polderman, K.H., Girbes, A.R.J., Thijs, L.G. & Strack Van Schijndel, R.J.M. Accuracy and reliability of APACHE II scoring in two intensive care units. Problems and pitfalls in the use of APACHE II and suggestions for improvement, 47

Polkey, C.E. *see* Dardis, R.

Pook, J.A.R. *see* Pearse, R.M.

Poon, A. *see* Stacey, R.G.W.

Popat, M.T. *see* Kadry, M.A.

Popat, M.T. *see* Krishnaker, M.V.

Popat, M.T. *see* Otero-Carrasco, J.

Porter, J.B. *see* Marchant, W.A.

Porter, J.M. *see* Davies, J.

Porter, J.M., Crowe, B., Cahill, M. & Shorten, G.D. The effects of ropivacaine hydrochloride on platelet function: an assessment using the platelet function analyser (PFA-100), 15

Porter, J.M., Kelleher, N., Flynn, R. & Shorten, G.D. Epidural ropivacaine hydrochloride during labour: protein binding, placental transfer and neonatal outcome, 418

Poustie, S. *see* Laffey, J.G.

Poustie, S. *see* Story, D.A.

Prakash, N., McLeod, T. & Smith, E.G. The effects of remifentanil on haemodynamic stability during rigid bronchoscopy, 576

Prasad, R. *see* Richardson, J.

Prater, B.J. & Timberlake, C. An unexpected and preventable cause of failed epidural analgesia, 810

Price, C. *see* Tan, G.M.

Prys-Roberts, C. Fat embolism, 692

Prys-Roberts, C. Isolated systolic hypertension: pressure on the anaesthetist, 505

Prys-Roberts, C. *see* Peden, C.J.

Puehringer, F. *see* Kleinsasser, A.

Putland, A.J. *see* Abdul-Latif, M.S.

Quick, B. *see* Russell, E.C.

Radcliffe, J.J. *see* Aziz, E.

Radcliffe, J.J. *see* Choyce, A.

Radford, M. *see* Johnston, P.

Rafi, A.N. Abdominal field block: a new approach via the lumbar triangle, 1024

Raghavan, V. *see* Dhileepan, S.

Raghavan, V. *see* Kurian, J.

Randebrock, G. *see* Kampe, S.

Raphael, J.H., Knowles, V., Southall, J.L., Beddall, C. & Gnanadurai, T.V. Prolonged epidural catheterisation – a multidisciplinary technique, 396

Rapp, H.-J. *see* Dworschak, M.

Rasanayagam, R. *see* Rayen, A.T.A.

Ravalia, A. *see* Gupta, S.

Raw, D. *see* Pearse, R.

Rayen, A.T.A. & Rasanayagam, R. Pre-filled drugs for obstetric theatre, 711

Razavi, S. *see* Saghaei, M.

Reddy, M.S., Chen, F.-G. & Ng, H.-P. Effect of ondansetron pretreatment on pain after rocuronium and propofol injection: a randomised, double-blind controlled comparison with lidocaine, 902

Rees, M. *see* Gwynne Hughes, L.

Reid, A.P. *see* Smith, J.E.

Reid, J.E. *see* Breslin, D.S.

Reid, J.E. *see* Hayes, A.H.

Reilly, C.S. *see* Cressey, D.M.

Reinelt, H. *see* Schmidt, M.

Reinelt, H., Marx, T., Schirmer, U. & Schmidt, M. Xenon expenditure and nitrogen accumulation in closed-circuit anaesthesia, 309

Remington, S.A.M. *see* Abdul-Latif, M.S.

Reynolds, F. A simple technique to reduce the incidence of accidental dural puncture, 1129

Reynolds, F. Damage to the conus medullaris following spinal anaesthesia, 238

Reynolds, F. Peripheral nerve injuries associated with anaesthesia, 196

Reynolds, F. *see* Bromage, P.R.

Reynolds, F. *see* Dressner, M.

Reynolds, F. *see* Turner, M.A.

Riad, T. *see* Dressner, M.

Richards, E. *see* Scott, S.

Richardson, J., McGurgan, P., Cheema, S., Prasad, R. & Gupta, S. Spinal endoscopy in chronic low back pain with radiculopathy. A prospective case series, 454

Richmond, M. *see* Vadodaria, B.

Richmond, M.N. *see* Drummond, G.B.

Ridley, S. *see* De Silva, R.J.

Ridley, S. *see* Garfield, M.

Ridley, S.A. Critical care outcomes, 1

Ridley, S.A. *see* Edbrooke, D.L.

Ridley, S.A. *see* Trivedi, M.

Rigg, C.D. & Cruickshank, S. Carbon dioxide during and after the apnoea test - an illustration of the Haldane effect, 377

Rizzi, A. *see* Foschi, D.

Roberts, E.L. *see* Hocking, G.

Roberts, W.O., Sinha, A. & Harrop-Griffiths, W. Which side?, 712

Robertson, P.A. *see* Hill, J.S.

Robin, N., McCann, J. & Scawn, N. A cautionary tale for percutaneous tracheostomy, 86

Robinson, J. *see* Pittaway, A.

Robinson, S. & Sellers, W.F.S. Pre-oxygenation: silence the flush, 1028

Rodrigues, J.C.D. *see* Viera, V.

Rogers, S.A., Mills, K.G. & Tufail, Z. Airway fire due to diathermy during tracheostomy in an intensive care patient, 441

Rolfe, P.M., Barker, G.L., Bertaggia, G. & Vannier, M. Short nasal tracheal tubes, 1011

Rosa, G. *see* Bilotto, F.

Rose, D.J.A. *see* Mahmoud, N.A.

Rosenmeier, F. & Cook, J.H. A complication of non-invasive positive pressure ventilation, 390

Royston, R. *see* Makker, R.

Rucklidge, M. *see* Stirrup, C.A.

Russell, E.C., Derbyshire, D.R., Quick, B. & Basford, J. More hidden leaks, 597

Russell, R. *see* Collier, C.B.

Russell, S. *see* Bulso, V.

Rutherford, J.S. *see* Barron, F.A.

Rutherford, J.S. *see* Brewster, H.A.

Rutter, S.V. *see* Kadry, M.A.

Sabo, E. *see* Somri, M.

Sadler, P.J. *see* Maguire, A.

Safavi, M.R. *see* Saghaci, M.

Saghaci, M. & Razavi, S. Bloodletting acupuncture for the prevention of stridor in children after tracheal extubation: a randomised, controlled study, 961

Saghaci, M. & Safavi, M.R. Prediction of prolonged laryngoscopy, 1198

Saha, B. *see* Thomas, A.N.

Samsoon, G. & Grewal, K. Paraesthesia during spinal needle placement, 1024

Samsoon, G. *see* Grewal, K.

Samuel, A. *see* Mulleague, L.

Sanders, D. *see* Barker, L.

Sanders, D.J. *see* Matthews, A.J.

Sanders, D.J. *see* McCormick, B.A.

Sanders, J.C. Teaching methods, 799

Sanders, M. An unusual method of diagnosing postoperative sore throat, 296

Sanders, M., M. O'Connor, P., Warwick, C., Van Hamel, P., Dawson, D. & Wilkinson, D. Intra-operative suggestions and depth of hypnosis, 1118

Sanders, R. *see* Harper, N.J.N.

Sanders, R. *see* Williams, C.

Sandhya, Y. *see* Mahajan, R.

Saraiva, A. *see* Viera, V.

Saraiva, R. *see* Sobreira, D.P.

Sasaki, R. *see* Hedges, S.

Satoh, T. *see* Karasawa, F.

Sawyer, R.J. Anaesthesia induction rooms - sheer luxury!, 1006

Sawyer, R.J. *see* Drummond, G.B.

Scawn, N. *see* Robin, N.

Schaeffer, B. *see* Hucker, T.

Schaffartzik, W. *see* Hirsch, J.

Scheunert, T. *see* Schmidt, M.

Schirmer, U. *see* Reinelt, H.

Schirmer, U. *see* Schmidt, M.

Schmidt, A.P. *see* Caumo, W.

Schmidt, M. *see* Reinelt, H.

Schmidt, M., Marx, T., Kotzerke, J., Lüderwald, S., Armbruster, S., Topalidis, P., Schirmer, U. & Reinelt, H. Cerebral and regional organ perfusion in pigs during xenon anaesthesia, 1154

Schmidt, M., Scheunert, T., Steinbach, G., Schirmer, U., Marx, T., Freitag, N. & Reinelt, H. Hypertension as a risk factor for cerebral injury during cardiopulmonary bypass. Protein S100B and transcranial Doppler findings, 733

Schneider, C.N. *see* Caumo, W.

Schuschnig, C. *see* Walzl, B.

Scott, H. & Tiszai, Z. Difficult airway - can intubate, can't ventilate, 697

Scott, S., Cameron, S. & Richards, E. Maternal self-administration of oral analgesia after Caesarean section, 918

Scragg, P., Jones, A. & Fauvel, N. Psychological problems following ICU treatment, 9

Sear, J.W. *see* Higham, H.

Sear, Y.M. *see* Higham, H.

Sellers, W.F. *see* Sobolev, I.

Sellers, W.F.S. Pressure sores and epidurals - blame the sheets?, 394

Sellers, W.F.S. *see* Robinson, S.

Sellers, W.F.S. *see* Sharma, N.

Sellers, W.F.S. *see* Sobolev, I.

Selway, R. *see* Dardis, R.

Seymour, P. *see* Panjwani, S.

Shaabani Ali, M., Harmer, M. & Latto, I.P. Jugular bulb oximetry during cardiac surgery, 24

Shah, M.K. *see* Asato, F.

Shah, M.K., Tan, H.M. & Wong, K. Comparison of sevoflurane-nitrous oxide anaesthesia with the conventional intravenous-inhalational technique using bispectral index monitoring, 302

Shannon, P.E. *see* Gosney, S.

Shariff, A. *see* Choyce, A.

Sharma, N. & Sellers, W.F.S. Pulse oximetry from a haemofiltration line, 807

Sharpe, P. *see* Habib, A.

Shaw, I.C. & Birks, R.J.S. A case of extensive block with the combined spinal-epidural technique during labour, 346

Shaw, I.C., Stevens, J. & Krishnamurthy, S. The influence of intraperitoneal bupivacaine on pain following major laparoscopic gynaecological procedures, 1041

Shaw, K.S. *see* Lam, D.T.C.

Shaw, S. *see* Mulleague, L.

Sherry, K.M. *see* Kurian, S.M.

Shetty, P. *see* Kurian, J.

Shibata, K. *see* Itoh, H.

Shibue, C. *see* Endoh, H.

Shiga, Y. *see* Koga, K.

Shigematsu, A. *see* Koga, K.
 Shingu, K. *see* Asai, T.
 Shinomura, T., Furutani, H., Osawa, M., Ono, K. & Fukuda, K. Anaesthetic management of 27 cases of boron neutron capture therapy for glioblastoma, 665
 Shirley, P.J. & Pogson, D.G. Checking the anaesthetic machine: a useful parallel in aviation safety, 1008
 Shirley, P.J. & Pogson, D.G. Helicopter transfer of the critically ill and required standards of training, 907
 Shizukuishi, M. *see* Karasawa, F.
 Shorten, G.D. *see* Davies, J.
 Shorten, G.D. *see* Halpenny, M.
 Shorten, G.D. *see* Porter, J.M.
 Sia, A.T. *see* Chua, N.P.
 Siddons, M. *see* Millo, J.
 Siggers, B. *see* Williams, M.
 Simini, B. Pre-operative visits by anaesthetists, 591
 Simpson, P. *see* Lewis, S.
 Singh, S. & Manji, M. A survey of pre-operative optimisation of high-risk surgical patients undergoing major elective surgery, 988
 Sinha, A. *see* Roberts, W.O.
 Sinha, A. *see* Troy, A.M.
 Sinha, A., Ahmad, K. & Harrop-Griffiths, W. The use of a vertical infraclavicular brachial plexus block in a patient with myasthenia gravis: effects on lung function, 165
 Sivagnanam, T. Opportunity knocks, 487
 Smith, A.F. *see* Adams, A.M.
 Smith, A.J. *see* Archer, L.J.
 Smith, A.J. *see* Isbister, G.K.
 Smith, F.G. *see* Prakash, N.
 Smith, G. *see* Habib, A.
 Smith, H. *see* Murphy, P.J.
 Smith, H.L. Training in difficult airway management, 381
 Smith, I. Postoperative instructions: good compliance but is the advice sound?, 405
 Smith, I. Yet more ampoule spikes, 609
 Smith, J.E. & Reid, A.P. Identifying the more patent nostril before nasotracheal intubation, 258
 Smith, M. *see* Carvalho, B.
 Smith, M. *see* Chapman, M.G.
 Smith, M. *see* Hunt, K.
 Smith, M.G. *see* Broadway, J.W.
 Smith, N. The self-regulating bag, 276
 Smith, R.P.R. & Jones, M. Precipitation in Manchester: ketorolac/cyclizine, 494
 Smith, R.P.R. & Waskönig, W. Spinal needle introducer hub detachment, 95
 Smithies, M.N. *see* Dingley, J.
 Snow, D. *see* Stocker, M.E.
 Snyders, S. & Bertaggia, G. Broken tracheal tube connector, 1122
 Sobolev, I. & Sellers, W.F.S. Rate of change in gas concentrations in a charged circle system with absorber, 380
 Sobolev, I., Plunkett, N. & Barker, I. Acute epiglottitis, sevoflurane and HIB vaccination, 807
 Sobolev, I., Sellers, W.F. & Dollman, M. Isolated systolic hypertension, 486
 Sobreira, D.P., Jreige, M.M. & Saraiva, R.Å. The fresh-gas flow sequence at the start of low-flow anaesthesia, 379
 Soilleux, H. *see* Mimoz, O.
 Somri, M., Vaida, S.J., Sabo, E., Yassain, G., Gankin, I. & Gaitini, L.A. Acupuncture versus ondansetron in the prevention of postoperative vomiting. A study of children undergoing dental surgery, 927
 Soni, N. *see* Mellor, A.
 Southall, J.L. *see* Raphael, J.H.
 Spinelli, F. *see* Bilotta, F.
 Spoormans, H.H.A.J.M. *see* Arbous, M.S.
 Stacey, R.G.W. *see* Dill-Russell, P.
 Stacey, R.G.W. *see* Dresner, M.
 Stacey, R.G.W., Jones, R., Kar, G. & Poon, A. High-dose intrathecal diamorphine after Caesarean section, 54
 Steeds, C. & Mather, S.J. Fasting regimens for regional ophthalmic anaesthesia. A survey of members of the British Ophthalmic Anaesthesia Society, 638
 Steinbach, G. *see* Schmidt, M.
 Stephens, P. Pre-anaesthesia assessment clinics, 84
 Stevens, J. *see* Shaw, I.C.
 Stevens, J. *see* Wilkes, A.R.
 Stewart, M. *see* Laurent, S.
 Stewart, M. *see* Murray, N.
 Stirrup, C.A., Lucas, D.N., Cox, M.L., Rucklidge, M., Nel, M.R., Acton, L.J., Costello, C. & Yentis, S.M. Maternal anti-factor Xa activity following subcutaneous unfractionated heparin after Caesarean section, 855
 Stocker, M.E. & Snow, D. An epidural plasmocytoma as an unusual cause of a postoperative epidural mass, 1130
 Stone, J. ASA classification of patient for organ donation, 586
 Stone, J. Obtaining a full medical history, 1210
 Stonell, C. & Morley, A.P. Close loop anaesthesia using bispectral index, 287
 Story, D. *see* Laffey, J.G.
 Story, D.A., Poustie, S. & Bellomo, R. Quantitative physical chemistry analysis of acid-base disorders in critically ill patients, 530
 Strack Van Schijndel, R.J.M. *see* Polderman, K.H.
 Stratford, N. *see* Peden, C.J.
 Streets, C. *see* Mukherjee, K.
 Strupish, J.W. *see* Maguire, A.
 Stuart, H. *see* Mostert, M.J.
 Suhonen, E. *see* McKinlay, S.
 Sutcliffe, A. *see* Kannan, S.
 Sutherland, I.D.B. Continuous peripheral nerve infusion: a follow-up study, 1129
 Suttner, S.W. *see* Piper, S.N.
 Suzuki, M. *see* Nagai, T.
 Sykes, P. Dentist anaesthetists, 375
 Tackley, R. Transparent obstruction of RAE tube, 279
 Takada, K. *see* Kuri, M.
 Takenaka, I. *see* Aoyama, K.
 Tan, G.M., Koh, K.F. & Price, C. A new incident with the laryngeal mask airway, 190
 Tan, H.M. *see* Shah, M.K.
 Tan, K. *see* Ng, H.-P.
 Taneja, R. Efficiency in intensive care – we must get it right, 692
 Taneja, R., Kam, P.C.A. & Ferch, N.I. Apoptosis – many admire, few know, 493
 Tarpey, J. *see* Bromage, P.R.
 Tay, B.A. *see* Ho, A.M.-H.
 Taylor, I. & Watters, M. Pulmonary oedema after ophthalmic regional anaesthesia in an unfasted patient undergoing elective surgery, 444
 Taylor, I. *see* Ball, D.R.
 Tempest, H. *see* De Silva, R.J.
 Teppo, H. *see* Akural, E.I.
 Terblanche, C. *see* Dingley, J.

Tew, G.P. *see* Chiu, C.L.
Thew, M.E. *see* Hocking, G.
Thijs, L.G. *see* Polderman, K.H.
Thind, G. How invasive should one be?, 1119
Thind, G. *see* Parekh, U.
Thind, G.S. & Nagaraja, S.V. Airway management/failed intubation drill, 385
Thind, G.S. *see* Pearse, R.
Thomas, A.N., Hurst, W. & Saha, B. Interchangeable oxygen and air connectors, 1205
Thomas, D.W. *see* Gwynne Hughes, L.
Thomas, M.J.C. & Mal, R. Relief of tension subcutaneous emphysema with a small-bore subcutaneous drain, 593
Thomas, R. & Finch, S. A blocked catheter mount, 188
Thompson, J.P. *see* Maguire, A.
Thorpe, C.M. *see* Mendonca, C.
Tighe, S.Q.M. *see* Wikner, M.A.
Tillyard, A. A sensitive anaesthetist?, 1020
Timberlake, C. *see* Prater, B.J.
Tisza, Z. *see* Scott, H.
To, E.W.H., Tsang, W.M., Pang, P.C.W., Cheng, J.H.H. & Lai, E.C.H. Nasogastric-tube-induced unilateral vocal cord palsy, 695
To, E.W.H., Tsang, W.M., Yiu, F. & Chan, M. A missing throat pack, 383
Tokunaga, M. *see* Karasawa, F.
Tomlinson, A. *see* Guha, A.
Tomlinson, A.A. *see* Mills, S.J.
Topalidis, P. *see* Schmidt, M.
Torlot, K. *see* Danbury, C.M.
Touw, P. *see* Arbous, M.S.
Tovey, G. & Griffiths, R. Vagal nerve stimulators and anaesthesia, 703
Townley, S.A. Use of stylets in paediatric tracheal intubation, 1209
Trabucchi, E. *see* Foschi, D.
Trenfield, S. *see* Webb, L.
Trivedi, M. & Ridley, S.A. Intermediate outcome of medical patients after intensive care, 841
Trnovski, S. *see* Cohen, S.
Troy, A.M., Kinirons, B., Harrop-Griffiths, W., Sinha, A. & Ahmad, K. Vertical infraclavicular block and myasthenia gravis, 817
Tsang, W.M. *see* To, E.W.H.
Tsang, W.M. *see* To, E.W.H.
Tsui, B.C.H. Predicting caudal epidural analgesia using nerve stimulation, 816
Tufail, Z. *see* Rogers, S.A.
Turnbull, D. & Mills, G.H. Compartment syndrome associated with the Lloyd Davies position. Three case reports and review of the literature, 980
Turner, M.A., Flatt, N. & Reynolds, F. Logic in the safe practice of spinal anaesthesia, 394
Tye, J. How should we manage the electronically tagged patient?, 295
Uchiyama, Y. *see* Asai, T.
Upton, R.N. *see* Ludbrook, G.L.
Ure, D. *see* Mitra, D.
Urtubia, R.M. & Medina, J. The Combitube® should be redesigned for anaesthetic use, 275
Vadodaria, B., Bridgens, J. & Richmond, M. Pyogenic cervical epidural abscess and discitis following stellate ganglion block, 871
Vaida, S.J. *see* Somri, M.
Van Hamel, C. *see* Dawson, P.R.
Van Hamel, P. *see* Sanders, M.
Van Kleef, J.W. *see* Arbous, M.S.
Vanarase, M. *see* White, L.A.
Vannier, M. *see* Rolfe, P.M.
Varma, S., Deakin, J. & Clayton, P.J. Subcutaneous cyclizine, 919
Varvinski, A., McGill, F.J., Judd, V. & Hodzovic, I. Sotos' syndrome. a rare challenge?, 809
Vashist, R. *see* Dearlove, O.
Vaughan, R.S. *see* Frerk, C.
Vaughan, R.S. *see* Jeffreys, A.J.
Verghese, C. *see* Abraham, R.
Verma, S. & Frow, M.W.O. Total upper eyelid drop as an endpoint marker of peribulbar anaesthesia, 292
Vial, G. *see* Nathan, N.
Victoria, B.A. *see* Gill, P.
Victory, R. *see* Duncan, M.A.
Viera, V., Da Costa, R.A., Saraiva, A., Cardozo, M.R., De Almeida, L.G.N., Rodrigues, J.C.D., Nunes, J.C.D. & Ferreira, J.C.D. The effect of nitrous oxide on the inhibition of somatosensory evoked potentials by sevoflurane in children, 202
Vinayagam, S. *see* Cupitt, J.M.
Vohra, A. The role of the anaesthetist: replacement brain, 272
Voyagis, G.S. *see* Dimitriou, V.
Wakeling, H. *see* Hucker, T.
Walker, C. *see* Dewhurst, A.T.
Wallace, P.G.M. *see* King, T.A.
Walpole, R., Barbour, F. & Aldridge, L.M. Lip balm: a novel way to 'flavour' facemasks for inhalational induction, 97
Waltl, B., Melischek, M., Schuschnig, C., Kabon, B., Erlacher, W., Nasel, C., Fuchs, M. & Kapral, S. Tracheal intubation and cervical spine excursion: direct laryngoscopy vs. intubating laryngeal mask, 221
Wang, C.Y. *see* Chiu, C.L.
Wareham, K. *see* Gwynne Hughes, L.
Warwick, C. *see* Sanders, M.
Warwick, P. *see* Dawson, P.R.
Waschke, K.F. *see* Dworschak, M.
Waskönig, W. *see* Smith, R.P.R.
Wasson, C. Failed epidural in an obese patient – blame it on Pythagoras!, 605
Watanabe, S. *see* Dimitriou, V.
Waterhouse, P. & Plastow, S. Internal jugular cannulation doesn't have to be a pain in the neck, 393
Watkins, A. *see* Dingley, J.
Watkins, E.J., Milligan, L.J. & O'Beirne, H.A. Information and consent for anaesthesia: a postal survey of current practice in Great Britain, 879
Watson, N.C. *see* Maltby, J.R.
Watters, M. *see* Ball, D.R.
Watters, M. *see* Bullough, A.S.
Watters, M. *see* Taylor, I.
Watts, J.C. & Brierley, A. Midazolam for treatment of postoperative nausea, 1129
Watts, J.C. Secondary transfer of intensive care patients by helicopter, 589
Watts, J.C. *see* Ni, K.M.
Weaver, M.K. *see* Holtham, A.M.
Webb, L., Trenfield, S. & Hogg, N. ECG dots and regional blocks, 391
Webster, C.S. Transient fixation on a non-native language associated with anaesthesia, 908
Webster, C.S., Anderson, D. & Murtagh, S. Safety and perioperative medical care, 496

Webster, C.S., Merry, A.F. & Ducat, C.M. Safety, cost and pre-drawn emergency drugs, 818

Webster, N.R. *see* Yassen, K.A.

Webster, V.J. & Barker, I. Royal College of Anaesthetists Tutors. A survey of their duties and resources, 580

Weinbroum, A.A., Lalayev, G., Yashar, T., Ben-Abraham, R., Niv, D. & Flashon, R. Combined pre-incisional oral dextromethorphan and epidural lidocaine for postoperative pain reduction and morphine sparing: a randomised double-blind study on day surgery patients, 616

Welchew, E. *see* Wigfull, J.

Wendt, T. *see* Hirsch, J.

Wenger, M., Hauswirth, C.B. & Brodhage, R.P. Undiagnosed adult diastematomyelia associated with neurological symptoms following spinal anaesthesia, 764

Werner, F.M. *see* Arbous, M.S.

West, K.J. *see* Maguire, A.

Wheeler, D.W. Shocking postoperative visits, 820

White, L.A., Vanarase, M., Brockbank, K. & Barrett, R.F. Patient-controlled analgesia and postoperative nausea and vomiting: efficacy of a continuous infusion of ondansetron, 365

White, N.A. Confirmation of placement of fine-bore nasogastric tubes, 1123

White, S.M. & Osmer, C. An audit of audit and continued educational and professional development, 1003

Whyte, I.M. *see* Isbister, G.K.

Wiener, P.C. *see* Frerk, C.

Wigfull, J. & Welchew, E. Survey of 1057 patients receiving postoperative patient-controlled epidural analgesia, 70

Wiklund, L. *see* Enlund, M.

Wikner, M.A. & Tighe, S.Q.M. Pre-filled ephedrine syringes, 712

Wilde, A. *see* Martin, F.

Wilkes, A.R., Stevens, J. & Leynadier, F. Standards for filters, 1116

Wilkes, R.G. *see* Burns, S.M.

Wilkins, I.A., Menon, D.K. & Matta, B.F. Management of comatose head-injured patients: are we getting any better?, 350

Wilkinson, D. *see* Dawson, P.R.

Wilkinson, D. *see* Sanders, M.

Willatts, S.M. *see* Parker, M.R.J.

Williams, C., Diaz-Navarro, C., Sanders, R., Bhargava, P., Dexter, T. & Birks, R.J.S. Anaesthetic machine checklists, 1006

Williams, D.J. & Kersley, M. Ventilator failure due to non-ISO-standard components, 392

Williams, J.C. *see* Edwards, S.M.

Williams, M. & Siggers, B. Mishaps with a central venous cannula in the ICU, 286

Williams, M. *see* Orme, R.M.L.E.

Williams, M. The combined spinal-epidural technique for the provision of analgesia in obstetric anaesthesia, 500

Williams, M.A. & Mackrodt, K. A faulty PCA device, 391

Williamson, A. *see* Johnston, P.

Williamson, R. Retropharyngeal abscess, atlanto-axial subluxation, and syncope, 491

Wilson, B. *see* Kenningham, J.

Wilson, G. *see* Mitchell, J.

Wilson, J.A. *see* Jenner, C.A.

Wisely, N.A. & Cook, L.B. Arterial flow waveforms from pulse oximetry compared with measured Doppler flow waveforms, 556

Wisely, N.A. & Mayall, R. Intralingual succinylcholine injection provides a rapid onset of muscle relaxation in an emergency, 1213

Wong, J. *see* Correa, R.

Wong, K. *see* Shah, M.K.

Wood, C.C. *see* Dhileepan, S.

Wood, J.P. Catheter fixation problems – attention to detail required, 193

Woodcock, C.A. & Alexander, R. Placement of nasogastric tubes, 385

Wootton, M.A. A first left-handed intravenous cannula, 402

Worsley, M. *see* Gray, R.A.

Wright, D. & Baruch, M. Herniation of tracheal tube cuffs: a simple teaching model, 277

Wright, S. *see* Marchant, W.A.

Wulf, H. *see* Palm, S.

Wyatt, M.G. *see* McHardy, F.E.

Yaddanapudi, S. *see* Podder, S.

Yamamoto, K. *see* Asai, T.

Yanagidate, F., Dohi, S. & Iizawa, A. Anaesthetic management for a patient with WAGR syndrome, 1215

Yashar, T. *see* Weinbroum, A.A.

Yassain, G. *see* Somri, M.

Yassen, K.A., Galley, H.E. & Webster, N.R. Matrix metalloproteinase-9 concentrations in critically ill patients, 729

Yasunaga, E. *see* Aoyama, K.

Yee, S., Old, S. & Cooke, R. Any which way but loose? – the significance of gas flow direction through a vaporiser, 598

Yentis, S. *see* May, A.

Yentis, S.M. *see* Stirrup, C.A.

Yiu, F. *see* To, E.W.H.

Yogendran, S. *see* Correa, R.

Yoong, F.E.Y. *see* Kam, P.C.A.

Youhana, A. *see* Dingley, J.

Youkhana, I. *see* Miller, D.M.

Young, J.D. *see* Mackenzie, I.M.

Young, P. & Blunt, M. Why KY?, 1208

Young, P. Leakage of fluid around high-volume, low-pressure cuffs, 493

Young, P.N. Postoperative instructions, 909

Zada, Y. *see* Cohen, S.

Zalunardo, M.P. *see* Hofer, C.

Zighetti, M.L. *see* Foschi, D.

Zollinger, A. *see* Hofer, C.

Zuck, D. Snow, Emerson and the Barkers of Bath, 227

Keyword index

Abdominal trauma: intra-operative salvage, 217

Acupuncture, 927

Acupuncture: bloodletting, 961

Acute renal failure: haemofiltration; mortality, 124

Addiction: drug, 120

Aircraft: air ambulance, 882

Airway fire: tracheostomy; diathermy, 441

Airway: continuous positive airway pressure, 680

Alcohol, 1103

Allergy: latex, 231

Amino acid: homocysteine, 676
Aminophylline: adenosine antagonism, 670
Anaesthesia techniques, regional: epidural, 855
Anaesthesia techniques: regional, 638
Anaesthesia, 980
Anaesthesia, general: nitrous oxide; sevoflurane, 202
Anaesthesia, paediatric, 1184
Anaesthesia, regional: combined spinal–epidural, 346
Anaesthesia, regional: epidural, 75, 470
Anaesthesia, regional: spinal, 263
Anaesthesia, risk: perception, 745
Anaesthesia, techniques: general, 465
Anaesthesia: airway; ventilation, 660
Anaesthesia: children, 1194
Anaesthesia: complications, 177
Anaesthesia: day case, 991
Anaesthesia: depth, 888
Anaesthesia: evaluation; pre-operative, 258
Anaesthesia: evaluation; pre-operative; complications, 684
Anaesthesia: general, 630, 1112
Anaesthesia: induction, 302
Anaesthesia: inhalational induction, 613
Anaesthesia: inhalational, 1098
Anaesthesia: low flow, 546
Anaesthesia: obstetric, 55, 346, 790, 794, 855, 879
Anaesthesia: obstetric; cricoid pressure, 825
Anaesthesia: ophthalmological, 444
Anaesthesia: paediatric, 927
Anaesthesia: paediatric; otolaryngologic, 777
Anaesthesia: rapid sequence induction; cricoid pressure, 1090
Anaesthesia: regional, 772
Anaesthesia: spinal, 764
Anaesthesia: thoracic, 927
Anaesthesia: thoracic, 940
Anaesthesia: veterinary, 1154
Anaesthetic agents: nitrous oxide, 999
Anaesthetic technique, regional: brachial plexus, 165
Anaesthetic technique, regional: spinal, 794
Anaesthetic technique: epidural, 616, 865
Anaesthetic techniques, regional: brachial plexus, 352
Anaesthetic techniques, regional: epidural, 15, 418
Anaesthetic techniques, regional: paravertebral, 1184
Anaesthetic techniques, regional: spinal, 55
Anaesthetic techniques, regional: spinal; combined epidural–spinal, 239
Anaesthetic techniques, regional: stellate ganglion, 871
Anaesthetic techniques: endobronchial, 933, 940
Anaesthetic techniques: epidural, 454, 565, 772, 790, 1189
Anaesthetic techniques: hypothermia, 514
Anaesthetic techniques: induction, 108
Anaesthetic techniques: induction; inhalation, 19
Anaesthetic techniques: low flow; closed-system, 829
Anaesthetic techniques: regional, 444, 1098, 1174
Anaesthetic techniques: regional; epidural; spinal, 450
Anaesthetic techniques: regional; patient-controlled epidural, 1169
Anaesthetic techniques: subarachnoid, 772
Anaesthetic, inhalation: sevoflurane, 302
Anaesthetic, inhalational: nitrous oxide, 676
Anaesthetic, inhaled: halothane, 360
Anaesthetic, intravenous: propofol, 302, 408
Anaesthetic, local: bupivacaine, 1041
Anaesthetic, volatile: sevoflurane, 19, 476
Anaesthetics, gases: nitrous oxide, 155
Anaesthetics, gases: xenon, 1154
Anaesthetics, general: sevoflurane; propofol, 248
Anaesthetics, general: propofol, sevoflurane, 251
Anaesthetics, intravenous: propofol, 108, 267, 897, 902, 1082
Anaesthetics, intravenous: propofol; fentanyl, 947
Anaesthetics, local: lidocaine, 616
Anaesthetics, local: ropivacaine, 15, 418, 1169
Anaesthetics, local: bupivacaine, 352
Anaesthetics, volatile, 1034
Anaesthetics, volatile: desflurane; sevoflurane, 171
Anaesthetics, volatile: halothane, 613
Anaesthetics, volatile: isoflurane; sevoflurane; desflurane, 160
Anaesthetics, volatile: xenon, 309
Anaesthetics: inert gases, 829
Anaesthetics: intravenous; propofol, 888, 893
Anaesthetics: local; ropivacaine, 1189
Anaesthetics: sevoflurane, 114
Anaesthetics: volatile, 429
Analgesia: morphine; fentanyl, 1194
Analgesia: obstetric, 526
Analgesia: patient-controlled analgesia, 1107
Analgesia: patient-controlled, 365
Analgesia: postoperative, 60, 1189
Analgesia: pre-emptive, 414
Analgesia: techniques: patient-controlled analgesia, 65
Analgesics, opioids: remifentanil, 576
Analgesics: alfentanil, 251, 319
Analgesics: diamorphine, 55
Analgesics: morphine, 616
Analgesics: morphine; alfentanil, 739
Analgesics: morphine; nefopam; propacetamol, 520
Analgesics: pethidine, 1107
Analgesics: remifentanil, 897, 1082
Analgesics: sufentanil; piritramide, 1189
Anatomy: conus medullaris, 764
Anatomy: cricoid cartilage, 825
Anatomy: lumbar spine, 263
Anatomy: spinal cord; conus medullaris, 239
Antagonists: neuromuscular relaxants, 312
Anti-emetic drugs: ondansetron, 365
Anti-emetics: droperidol; ondansetron, 60
Anti-emetics: ondansetron, 902
Anxiety: postoperative, 720
Ataractics: marijuana, 1059
Blood donation: older people, 103
Blood pressure: hypertension, 733
Blood pressure: hypotension, 947
Blood: anaemia; sickle cell disease; haemoglobin SC disease, 667
Blood: loss; coagulation; replacement, 786
Blood: plasma, 418
Blood: platelet function, 15
Brain: blood flow; oxygenation, 24, 733
Brain: epilepsy; oxygenation, 648
Cardiac disease: ischaemia, 1051
Cardiovascular physiology: blood flow velocity, 556
Cardiovascular system: hypovolaemia; volume replacement, 103
Catheterisation: central venous, 465
Central nervous system infections: prion diseases, 1069
Cerebrospinal fluid, 168
Circulation: cerebral blood flow, 360
Clinical measurement: arterial blood pressure, 847
CNS disease: epidural abscess, 871

Complications, 352, 444, 865, 980, 1141, 1184
 Complications, neurological, 239
 Complications: aspiration, 38
 Complications: cardiac arrest, 768
 Complications: cardiovascular disease; myocardial ischaemia, 630
 Complications: catheter misplacement, 772
 Complications: death, 168
 Complications: embolism, 571
 Complications: epistaxis, 447
 Complications: failed tracheal intubation, 1198
 Complications: hypertension, 1178
 Complications: hypokalaemic periodic paralysis, 1082
 Complications: hypotension, 267, 794, 893
 Complications: infective contamination, 1069
 Complications: nausea; vomiting, 365
 Complications: neurological, 733
 Complications: pain, 902
 Complications: respiratory failure, 120
 Complications: shivering, 514
 Complications: smokers, 19
 Complications: subdural spread, 346
 Complications: transverse myelitis; autonomic hyperreflexia, 565
 Complications: trauma; cervical spine, 221
 Complications: TUR syndrome, 461
 Complications: vomiting, 1194
 Critical care: psychological outcome, 9
 Critical care: sepsis; metalloproteinase; cytokine, 729
 Critical illness: acidosis; alkalosis, 530
 Critical illness: arterial catheterisation, 568
 Critical illness: outcome; medical patients, 841
 Day surgery: ambulatory anaesthesia, 481
 Education: anaesthesia training, 580
 Education: medical students, 879, 995
 Education: residents, 51
 Electrocardiogram: Q–Tc effects, 248
 Endocrine disease: phaeochromocytoma, 43
 Epidural analgesia: patient controlled, 70
 Equipment: Airway Management Device, 660
 Equipment: airway, 756
 Equipment: anaesthesia machines, 309
 Equipment: breathing systems; heat and moisture exchangers; vaporisers, 429
 Equipment: breathing systems; low flow, 160
 Equipment: carbon dioxide absorbents, 546
 Equipment: catheters; peridural, 865
 Equipment: cuffs; tracheal, 155
 Equipment: filters, 231
 Equipment: intubating laryngeal mask, 221
 Equipment: laryngeal mask airway, 897, 1069
 Equipment: laryngeal mask airway; intubating laryngeal mask airway, 357
 Equipment: laryngoscopes, 342
 Equipment: portable ventilators, 1073
 Equipment: pulse oximeter; plethysmography; Doppler ultrasound, 556
 Equipment: tourniquets, 534
 Equipment: tracheal tube, 38
 Equipment: tube; nasotracheal, 258
 Equipment: tube; nasotracheal, 447
 Fat embolism: incidence; aetiology; pathophysiology; diagnosis; treatment, 145
 Gastrointestinal tract, 953
 Guidelines: impact, 350
 Haemodynamics, 576
 Haemorrhage, 168, 786
 Haemorrhage: allergic transfusion, 217
 Head injury: intracranial pressure; cervical spine injury, 511
 Heart: blood flow; coronary occlusion; myocardial, 1160
 Heart: cardiac output, 1034
 Heart: ischaemia, 1163
 High-dependency care: effectiveness, 850
 History, 130
 History: anaesthesia, 227
 History: Snow, John, 227
 Hypnotics: benzodiazepines; midazolam, 1098
 Hypnotics: midazolam, 108
 Immune system: cytokines, 4
 Infection: septicaemia, 130
 Insufflation: lung injury; mechanical ventilation, 433
 Intensive care: cost analysis; methods; technology, 208
 Intensive care: costs; resource use; length of stay, 643
 Intensive care: neurosurgical, 350
 Intensive care: transport, 1073
 Intensive care: workload; seasonal variations, 1136
 Intensive therapy: APACHE II score, 47
 Intubation, tracheal: complications, 777
 Intubation, tracheal: difficult; failed, 1090
 Intubation, tracheal: technique, 155, 258
 Intubation, tracheal: technique; complications, 221, 447
 Intubation, tracheal: training, 995
 Intubation: endobronchial, 319
 Intubation: tracheal, 1163
 Intubation: tracheal; difficult, 1198
 Investigation: transthoracic echocardiography, 267
 Kidney: function, 953
 Kinins, 768
 Lambert–Eaton myasthenic syndrome: drug therapy, 562
 Laparoscopy: cholecystectomy, 623
 Laryngospasm: stridor; extubation, 961
 Larynx: laryngoscopy, 777
 Local anaesthetics: bupivacaine, 414
 Local anaesthetics: lidocaine, 790
 Local anaesthetics: ropivacaine, 526
 Lung capacity: vital, 165
 Lung: oedema, 444
 Manpower, 51
 Measurement techniques, 1174
 Measurement techniques: Doppler ultrasound, 947
 Measurement techniques: dynamic posturography, 1098
 Medical conditions: hypertension, 251
 Medicolegal, 684
 Medicolegal: consent, 879
 Metabolism: fasting, 638
 Microcirculation: laser Doppler fluxmetry, 103
 Microcirculation: shock, 130
 Micro-organism: *C. botulinum*, 120
 Monitoring: bispectral index, 302
 Monitoring: bispectral index; electroencephalogram, 999
 Monitoring: Holter, 1051

Monitoring: jugular bulb oximetry, 24
Monitoring: near-infrared spectroscopy, 1181
Monitoring: neuromuscular function, 312, 562
Monitoring: pulse oximetry, 551
Monitoring: somatosensory evoked potentials, 202
Monitoring: transcranial Doppler, 360
Morbidity: anaesthetic, 1141
Mortality: anaesthetic, 1141
Myasthenia gravis, 165

Nausea and vomiting, 65
Neural block: motor, 470
Neurology: diastematomyelia, 764
Neuromuscular blocking drugs: atracurium; rocuronium; vecuronium, 312
Neuromuscular non-depolarising agents: rocuronium, 902
Neuromuscular relaxants: mivacurium, 1082
Nitric oxide: intensive care; multiple organ failure, 326

Obesity, 680, 1112
Obstetrics: labour, 470
Opioids: remifentanil, 114
Oxygenation: cerebral, 1181
Oxygenation: pre-operative, 680

Paediatric anaesthesia: peri-operative care, 961
Pain: chronic; sciatica, 454
Pain: measurement, 720
Pain: postoperative, 70, 75, 174, 365, 616, 739, 1045, 1107
Pancreatitis: pancreatitis-associated protein, 836
Paralysis: quadriplegia, 871
Pathology: glioblastoma, 665
Pharmacodynamics: recovery; interactions, 114
Pharmacokinetics, 1034
Pharmacology, 1059
Pharmacology: buscopan, 174
Pharmacology: dextromethorphan, 616
Pharmacology: metaraminol, 893
Pharmacology: nefopam, 514
Pharmacology: nitroglycerin; prostaglandin E, 947
Physiological scores: Logistic Organ Dysfunction System score, 850
Plasma substitutes: polygeline, 768
Point-of-care testing: activated partial thromoplastin time; coagulation disorders; international normalised ratio, 760
Population: geriatric, 108
Position: head-down, 1181
Position: Trendelenburg, 980
Postoperative pain: patient-controlled analgesia, 520
Pregnancy, 43
Premedication: dexmedetomidine, 408
Premedication: oral midazolam, 991
Pre-operative care: pre-operative optimisation; elective surgery, 988
Prostate: transurethral resection, 461

Receptors, 953
Receptors: alpha-2, 408

Recovery, 514
Renal function: critical care, 670
Respiratory failure: mechanical ventilation, 124
Resuscitation: training, 357

Scoliosis: corrective surgery, 235
Sedation, 476
Sedation: propofol; midazolam, 836
Sedatives: propofol; midazolam, 4
Sevoflurane, 613
Sleep apnoea syndrome: pre-operative differentiation, 424
Spectral heart rate variability: cardiac autonomic dysfunction, 424
Spondylitis: discitis
Status epilepticus: treatment; complications, 648
Stress disorders: post-traumatic; diagnosis, 9
Subdural space, 168
Surgery, 684
Surgery, obstetric: Caesarean section, 794
Surgery: ambulatory, 1112
Surgery: brain, 465
Surgery: bronchoscopy, 576
Surgery: Caesarean section, 43, 790, 1051
Surgery: cardiovascular, 24, 667, 733, 953, 1163
Surgery: day case; gynaecology, 171
Surgery: dental, 476
Surgery: hepatic resection, 520
Surgery: laparoscopy, 1041
Surgery: laparoscopy; gynaecological, 174
Surgery: ophthalmologic, 638
Surgery: orthopaedic, 571, 1189
Surgery: otolaryngological, 1045
Surgery: thoracic, 933, 940
Surgery: urologic, 1103
Surgery: vascular, 168
Surgical equipment: surgical instruments; ultrasonics, 1045
Sympathetic nervous system: pharmacology; dopamine, 953
Sympathetic nervous system: β adrenergic antagonists; esmolol, 319

Thromboembolism: heparin, 855
Thromboprophylaxis, 781
Thrombosis: deep venous, 781
Toxicity, 1178
Tracheostomy: percutaneous; dilatational; complications, 859
Transfusion: blood, 568
Transoesophageal echocardiography: acoustic quantification, 623
Transportation of patients, 882
Traumatic brain injury, 781
Treatment: boron neutron capture therapy, 665
Veins: jugular; cannulation, 24
Ventilation: artificial, 756
Ventilation: diaphragm, 352
Ventilatory failure: non-invasive ventilation, 235
Vomiting: anti-emetics, 927
Vomiting: nausea, 60

Waveform: arterial; derived, 55

